

## SUBJECT INDEX

### VOLUME 45

#### A

##### Absorption Tests.

A Comparison of Absorption and Soundness Tests on Maine Sands—Andrew Adams and Horace A. Pratt, 771.

##### Accelerated Testing.

See **Corrosion; Weathering.**

##### Acidity.

Report on Results of Questionnaire to Utilities Relating to Tests on Transformer Oil in Service. Report of Subcommittee IV, Committee D-9, Appendix III, 302.

##### Additions.

Effect of Heat on Portland Cements Containing Vinsol Resin—Leonard Bean and Albert Litvin, 766.

Proposed Specifications for Portland Blast-Furnace Slag Cement. Report of Committee C-1, Appendix II, 162.

The Testing of Portland Cements Containing Intergrround Vinsol Resin—Raymond L. Blaine, Jason C. Yates, and John R. Dwyer, 732. Discussion, 753.

##### Adhesives.

Adhesives. Report of Committee D-14, 335. Summary of Proceedings of the Symposium on Adhesives, 1023.

##### Aggregates.

A Comparison of Absorption and Soundness Tests on Maine Sands—Andrew Adams and Horace A. Pratt, 771.

##### Air Jet.

Determination of Gum Values by the I.P.T. and A.S.T.M. Air Jet Gum Methods—E. L. Walters and D. L. Yabroff. Published in

ASTM BULLETIN, No. 135, August, 1945, p. 40.

##### Air Permeability Apparatus.

Proposed Method of Test for Fineness of Portland Cement by Air Permeability Apparatus. Report of Committee C-1, Appendix IV, 195.

##### Aircraft Testing.

Summary of Proceedings of the Philadelphia District Meeting—Symposium on Magnetic Particle Testing, 722.

##### Alcohol Determination.

The Determination of the Terpene Alcohol Content of Steam-Distilled Pine Oil—V. E. Grotlich and H. N. Burstein, 1015.

##### Alloy Steel.

See also **Steel.**

The Effect of Combined Stresses on the Mechanical Properties of Steels Between Room Temperature and -188 C.—D. J. McAdam, Jr., G. W. Geil, and R. W. Mebs, 448. Discussion, 482.

Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 92.

Filler Metal. Report of Joint Committee, 94. Fracture Testing of Alloy Steels for Aircraft Engine Forgings—R. D. Haworth, Jr. and A. F. Christian, 407. Discussion, 441.

Iron-Chromium, Iron-Chromium-Nickel and Related Alloys. Report of Committee A-10, 87.

##### Alloys, Non-Ferrous.

See also **Aluminum; Brass; Bronze; Copper; Magnesium; Zinc.**

Cast-to-Size Impact Specimens for Aluminum Sand Casting Alloys—R. A. Quadt, p. 705.

## SUBJECT INDEX

### VOLUME 45

#### A

##### Absorption Tests.

A Comparison of Absorption and Soundness Tests on Maine Sands—Andrew Adams and Horace A. Pratt, 771.

##### Accelerated Testing.

See **Corrosion; Weathering.**

##### Acidity.

Report on Results of Questionnaire to Utilities Relating to Tests on Transformer Oil in Service. Report of Subcommittee IV, Committee D-9, Appendix III, 302.

##### Additions.

Effect of Heat on Portland Cements Containing Vinsol Resin—Leonard Bean and Albert Litvin, 766.

Proposed Specifications for Portland Blast-Furnace Slag Cement. Report of Committee C-1, Appendix II, 162.

The Testing of Portland Cements Containing Intergrated Vinsol Resin—Raymond L. Blaine, Jason C. Yates, and John R. Dwyer, 732. Discussion, 753.

##### Adhesives.

Adhesives. Report of Committee D-14, 335. Summary of Proceedings of the Symposium on Adhesives, 1023.

##### Aggregates.

A Comparison of Absorption and Soundness Tests on Maine Sands—Andrew Adams and Horace A. Pratt, 771.

##### Air Jet.

Determination of Gum Values by the I.P.T. and A.S.T.M. Air Jet Gum Methods—E. L. Walters and D. L. Yabroff. Published in

ASTM BULLETIN, No. 135, August, 1945, p. 40.

##### Air Permeability Apparatus.

Proposed Method of Test for Fineness of Portland Cement by Air Permeability Apparatus. Report of Committee C-1, Appendix IV, 195.

##### Aircraft Testing.

Summary of Proceedings of the Philadelphia District Meeting—Symposium on Magnetic Particle Testing, 722.

##### Alcohol Determination.

The Determination of the Terpene Alcohol Content of Steam-Distilled Pine Oil—V. E. Grotlich and H. N. Burstein, 1015.

##### Alloy Steel.

See also **Steel.**

The Effect of Combined Stresses on the Mechanical Properties of Steels Between Room Temperature and -188 C.—D. J. McAdam, Jr., G. W. Geil, and R. W. Mebs, 448. Discussion, 482.

Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 92.

Filler Metal. Report of Joint Committee, 94. Fracture Testing of Alloy Steels for Aircraft Engine Forgings—R. D. Haworth, Jr. and A. F. Christian, 407. Discussion, 441.

Iron-Chromium, Iron-Chromium-Nickel and Related Alloys. Report of Committee A-10, 87.

##### Alloys, Non-Ferrous.

See also **Aluminum; Brass; Bronze; Copper; Magnesium; Zinc.**

Cast-to-Size Impact Specimens for Aluminum Sand Casting Alloys—R. A. Quadt, p. 705.

Chemical Analysis of Metals. Report of Committee E-3, 391.

Compression Testing of Magnesium Alloy Sheet—A. A. Moore and J. C. McDonald, p. 698.

Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, 111.

Copper and Copper-Alloy Wires for Electrical Conductors. Report of Committee B-1, 96.

Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 105.

The Corrosion-Fatigue Properties of Some Hard Lead Alloys in Sulfuric Acid—David J. Mack, 629.

Die-Cast Metals and Alloys. Report of Committee B-6, 134.

The Effect of the Iron Content of Cupro-Nickel on Its Corrosion Resistance in "Sea Water"—A. W. Tracy and R. L. Hungerford, 591. Discussion, 613.

Electrical-Heating, Electrical-Resistance, and Electric-Furnace Alloys. Report of Committee B-4, 108.

Electrodeposited Metallic Coatings. Report of Committee B-8, 149.

Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, 137.

Non-Ferrous Metals and Alloys. Report of Committee B-2, 102.

Recommendations Affecting Standards for Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, Appendix, 120.

Recommendations Affecting Standards for Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, Appendix I, 141.

## Aluminum.

Cast-to-Size Impact Specimens for Aluminum Sand Casting Alloys—R. A. Quadt, 705.

Chemical Analysis of Metals. Report of Committee E-3, 391.

A Comparison of the Performance of Anodic Coatings Exposed to Salt Spray and to the Weather—Junius D. Edwards. Report of Committee B-7, Appendix II, 146.

Die-Cast Metals and Alloys. Report of Committee B-6, 134.

Filler Metal. Report of Joint Committee, 94.

Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, 137.

Recommendations Affecting Standards for Light Metals and Alloys, Cast and Wrought.

Report of Committee B-7, Appendix I, 141.

## Analysis of Soils.

A New Method for the Mechanical Analysis of Soils—Raul Valle-Rodas. Published in ASTM BULLETIN, No. 135, August, 1945, p. 44.

## Analytical Chemistry.

See **Chemical Analysis**. (Methods of analysis, testing, etc., are also indexed under the materials and subjects covered by them.)

## Annapolis Exposure Tests.

Record of failures in atmospheric exposure tests at Annapolis of No. 22-gage copper-bearing and non-copper-bearing corrugated black sheets. Report of Subcommittee III, Committee A-5, 68.

## Annual Meeting.

Annual Report of the Executive Committee, 21.

Summary of Proceedings of the Forty-eighth Annual Meeting, 1.

## Anodic Coatings.

Comparison of the Performance of Anodic Coatings Exposed to Salt Spray and to the Weather—Junius D. Edwards. Report of Committee B-7, Appendix II, 146.

Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, 137.

## Anthracite.

See **Coal**.

## Antiseptic Fabrics.

A Suggested Method for Thorough Testing of Antiseptic Fabrics—Louis C. Barail. Published in ASTM BULLETIN, No. 136, October, 1945, p. 25.

## Arc-Formed Gases.

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix II, 292.

## Asbestos.

Test Criterion for an Incombustible Material—N. P. Setchkin and S. H. Ingberg, 866. Discussion, 876.

Textile Materials. Report of Committee D-13, 323.

**Asbestos Cement Products.**

Standards. Report of Committee E-10, 395.

**Askarels.**

Electrical Insulating Materials. Report of Committee D-9, 275.

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix II, 292.

**Assemblies Testing.**

Preparations for the Future of the A.S.T.M. Annual Address by the President, P. H. Bates, 14.

Relation Between Life Testing and Conventional Tests of Materials—R. E. Peterson. Published in ASTM BULLETIN, No. 133, March, 1945, p. 9.

**Atmospheric Exposure.**

See **Corrosion; Weathering.**

**Autoclave Tests.**

Report on Comparative Short-Time Tests for Sulfate Resistance of 121 Commercial Cements—Dalton G. Miller and Charles G. Snyder. Report of the Working Committee on Sulfate Resistance, Committee C-1, Appendix III, 165.

**B****Barbed Wire.**

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 70.

**Bast and Leaf Fibers.**

Textile Materials. Report of Committee D-13, 323.

**Bearing Metal.**

Non-Ferrous Metals and Alloys. Report of Committee B-2, 102.

**Bekk Smoothness Tester.**

Proposed Methods of Test for Smoothness of Paper. Report of Committee D-6, Appendix, 260.

**Benzene.**

Aromatic Petroleum Solvents. Report of Special Committee, Committee D-16, Appendix II, 348.

Cooperative Distillation Tests of Aromatic Hydrocarbons. Report of Committee D-16, Appendix I, 340.

Industrial Aromatic Hydrocarbons. Report of Committee D-16, 337.

Proposed Method of Test for Total Olefinic and Aromatic Hydrocarbons in Gasoline. Report of Committee D-2, Appendix II, 247.

**Bituminous Coal.**

See **Coal.**

**Bituminous Materials.**

See **Petroleum Products; Roofing Materials.**

**Blaine Air Permeability Apparatus.**

Proposed Method of Test for Fineness of Portland Cement by Air Permeability Apparatus. Report of Committee C-1, Appendix IV, 195.

**Boiler Feedwater.**

See also **Water.**

Water for Industrial Uses. Report of Committee D-19, 356.

**Bond Strength.**

The Effect of Repeated Loading on the Bond Strength of Concrete—C. W. Muhlenbruch, 824.

**Bonded-Wire Strain Gage.**

A Rubber Housing for Waterproofing the Bonded-Wire Strain Gage—Douglas McHenry. Published in ASTM BULLETIN, No. 133, March, 1945, p. 18.

**Boxes.**

Shipping Containers. Report of Committee D-10, 311.

**Brass.**

Chemical Analysis of Metals. Report of Committee E-3, 391.

Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, 111.

Die-Cast Metals and Alloys. Report of Committee B-6, 134.

Recommendations Affecting Standards for Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, Appendix, 120.

**Brick.**

- Manufactured Masonry Units. Report of Committee C-15, 214.  
Refractories. Report of Committee C-8, 208.

**Brinnell Hardness.**

- See **Hardness Testing**.

**Bronze.**

- See also **Copper**.  
Chemical Analysis of Metals. Report of Committee E-3, 391.  
Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, 111.  
Recommendations Affecting Standards for Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, Appendix, 120.

**Building Brick.**

- See **Brick**.

**By-laws.**

- Proposed Amendments of Society By-laws, 2, 34.

**C****C. F. R. Engine.**

- Proposed Revisions in the Methods of Test for Knock Characteristics of Motor Fuels (D 357 - 45) and of Aviation Fuels (D 614 - 44 T). Report of Technical Committee A on Gasoline, Committee D-2, 233.

**Cable.**

- Copper and Copper-Alloy Wires for Electrical Conductors. Report of Committee B-1, 96.

**Calibration.**

- Proposed Method of Test for Fineness of Portland Cement by Air Permeability Apparatus. Report of Committee C-1, Appendix IV, 195.  
Proposed Methods of Test for Smoothness of Paper. Report of Committee D-6, Appendix, 260.

**Carbon-Molybdenum Steel.**

- See **Alloy Steel**.

**Castings.**

- See also **Alloy Steel**; **Aluminum**; **Brass**;

**Bronze; Copper; Die Castings; Magnesium; Malleable Iron; Steel.**

- Cast-to-Size Impact Specimens for Aluminum Sand Casting Alloys—R. A. Quadt, 705.  
Observations on the Appearance Welding of Malleable Castings—H. A. Schwartz, Ira Young and James Hedberg, 618. Discussion, 626.  
Summary of Proceedings of the Philadelphia District Meeting—Symposium on Magnetic Particle Testing, 722.

**Cast-to-Size Specimens.**

- Cast-to-Size Impact Specimens for Aluminum Sand Casting Alloys—R. A. Quadt, 705.

**Cavitation.**

- Memo on Cavitation—Frank N. Speller. Published in ASTM BULLETIN, No. 133, March, 1945, p. 21.

**Cement.**

- Cement. Report of Committee C-1, 156.  
Effect of Heat on Portland Cements Containing Vinsol Resin—Leonard Bean and Albert Litvin, 766.  
Properties of Highly Hydrated Dolomitic Masonry Limes and Certain of Their Cement-Lime Mortars—G. J. Fink and Emil Trattner, 723.  
Proposed Method of Test for Fineness of Portland Cement by Air Permeability Apparatus. Report of Committee C-1, Appendix IV, 195.  
Proposed Recommendations Affecting Standards on Cement. Report of Committee C-1, Appendix I, 160.  
Proposed Specifications for Portland Blast-Furnace Slag Cement. Report of Committee C-1, Appendix II, 162.  
Report on Comparative Short-Time Tests for Sulfate Resistance of 121 Commercial Cements—Dalton G. Miller and Charles G. Snyder. Report of the Working Committee on Sulfate Resistance, Committee C-1, Appendix III, 165.  
The Testing of Portland Cements Containing Interground Vinsol Resin—Raymond L. Blaine, Jason C. Yates, and John R. Dwyer, 732. Discussion, 753.  
Thermal Insulating Cement. Report of Committee C-16, 216.

**Chain Link Fence.**

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 70.

**Charter of Society.**

Proposed Amendments of Society Charter, 2, 35.

**Chemical Analysis.**

Cement. Report of Committee C-1, 156.

Chemical Analysis of Metals. Report of Committee E-3, 391.

**Chlorides.**

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix II, 292.

**Chromium.**

Electrodeposited Metallic Coatings. Report of Committee B-8, 149.

**Chromium-Nickel Alloys.**

See **Alloy Steel.**

**Clad Steel.**

See **Corrosion-Resisting Alloy Steels.**

**Clay Pipe.**

Clay Pipe. Report of Committee C-4, 200.

**Cleaners.**

Metal Cleaning: I—Indirect Performance Tests—Jay C. Harris, 985.

Metal Cleaning: II—Soil Removal Performance Methods—Jay C. Harris, 997.

**Coal.**

Coal and Coke. Report of Committee D-5, 255.

**Coated Fabrics.**

See **Rubber Products.**

**Coating Thickness Gage.**

A New Coating Thickness Gage—S. Lipson. Published *ASTM BULLETIN*, No. 135, August, 1945, p. 20.

**Coatings, Surface-Conversion.**

Surface-Conversion Coatings—George W. Jernstedt. Published in *ASTM BULLETIN*, No. 137, December, 1945, p. 29.

**Cohesive Strength.**

The Effect of Combined Stresses on the Mechanical Properties of Steels Between Room Temperature and  $-188^{\circ}\text{C}$ .—D. J. McAdam, Jr., G. W. Geil, and R. W. Mebs, 448. Discussion, 482.

**Coke.**

Coal and Coke. Report of Committee D-5, 255.

**Color Test.**

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix II, 292.  
Report on Results of Questionnaire to Utilities Relating to Tests on Transformer Oil in Service. Report of Subcommittee IV, Committee D-9, Appendix III, 302.

**Compression Testing.**

Compression Testing of Magnesium Alloy Sheet—A. A. Moore and J. C. McDonald, 698.

Effect of Dimensions of Specimens upon the Precision of Strength Data—John Tucker, Jr., 952. Discussion, 960.

Effect of Length on the Strength of Compression Test Specimens—J. Tucker, Jr., 976.  
The Effect of Specimen Shape on the Compressive Strength Properties of Laterally Supported Plywood Specimens—J. A. Liska, 935.

Effect of Type of Test Specimen on Apparent Compressive Strength of Concrete—Bryant Mather, 802. Discussion, 810.

The Maximum Stresses Present at Failure of Brittle Materials—J. Tucker, Jr., 961. Discussion, 974.

Single-Strip Compression Test for Sheet Materials—Harry LaTour and Don S. Wolford, 671. Discussion, 689.

The Testing of Portland Cements Containing Interground Vinsol Resin—Raymond L. Blaine, Jason C. Yates, and John R. Dwyer, 732. Discussion, 753.

**Concrete.**

Automatic Accelerated Freezing-and-Thawing Apparatus for Concrete—Charles E. Wuerpel and Herbert K. Cook, 813.

Effect of Length on the Strength of Compression Test Specimens—J. Tucker, Jr., 976.



The Effect of Repeated Loading on the Bond Strength of Concrete—C. W. Muhlenbruch, 824.

Effect of Type of Test Specimen on Apparent Compressive Strength of Concrete—Bryant Mather, 802. Discussion, 810.

Manufactured Masonry Units. Report of Committee C-15, 214.

The Maximum Stresses Present at Failure of Brittle Materials—J. Tucker, Jr., 961. Discussion, 974.

Stress Conditions for the Failure of Saturated Concrete and Rock—K. Terzaghi, 777. Discussion, 793.

### Conditioning.

Electrical Insulating Materials. Report of Committee D-9, 275.

### Conductors.

Electrical Conductivity of Conductors—L. F. Rohmann, 711.

### Consistency.

Proposed Revision of the Tentative Methods of Physical Testing of Quicklime and Hydrated Lime (C 110 - 38 T). Report of Committee C-7, Appendix, 206.

The Testing of Portland Cements Containing Interground Vinsol Resin—Raymond L. Blaine, Jason C. Yates, and John R. Dwyer, 732. Discussion, 753.

### Consumer Goods.

Standards. Report of Committee E-10, 395.

### Contact Metals.

Electrical-Heating, Electrical-Resistance, and Electric-Furnace Alloys. Report of Committee B-4, 108.

### Containers.

Shipping Containers. Report of Committee D-10, 311.

### Copper.

Chemical Analysis of Metals. Report of Committee E-3, 391.

Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, 111.

The Effect of the Iron Content of Cupro-Nickel on Its Corrosion Resistance in "Sea Water"—A. W. Tracy and R. L. Hungerford, 591. Discussion, 613.

Non-Ferrous Metals and Alloys. Report of Committee B-2, 102.

Performance Tests, atmospheric exposure tests of electroplated lead coatings on steel. Report of Subcommittee II, Committee B-8, 152.

Recommendations Affecting Standards for Copper and Copper Alloys, Cast and Wrought. Report of Committee B-5, Appendix, 120.

### Copper-Bearing Steel.

See also **Steel**.

Corrosion of Iron and Steel. Report of Committee A-5, 66.

Field Tests of Metallic Coatings. Report of Subcommittee VIII, Committee A-5, 69.

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 70.

Record of failures in atmospheric exposure tests at Annapolis of No. 22-gage copper-bearing and non-copper-bearing corrugated black sheets. Report of Subcommittee III, Committee A-5, 68.

### Copper Covered Wires.

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 70.

### Copper Wire.

Copper and Copper-Alloy Wires for Electrical Conductors. Report of Committee B-1, 96.

### Cord, Tire.

Statistical Comparison of Rayon Tire Cord Fatigue Testing Machines—C. B. Budd and L. Larrick. Published in ASTM BULLETIN, No. 136, October, 1945, p. 19.

### Corrosion.

See also **Weathering**.

A Comparison of the Performance of Anodic Coatings Exposed to Salt Spray and to the Weather—Junius D. Edwards. Report of Committee B-7, Appendix II, 146.

Corrosion of Iron and Steel. Report of Committee A-5, 66.

Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 105.

The Corrosion-Fatigue Properties of Some Hard Lead Alloys in Sulfuric Acid—David J. Mack, 629.

**Corrosion** (*Continued*)

Die-Cast Metals and Alloys. Report of Committee B-6, 134.

The Effect of the Iron Content of Cupro-Nickel on Its Corrosion Resistance in "Sea Water"—A. W. Tracy and R. L. Hungerford, 591. Discussion, 613.

Electrodeposited Metallic Coatings. Report of Committee B-8, 149.

Field Tests of Metallic Coatings. Report of Subcommittee VIII, Committee A-5, 69.

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 70.

Iron-Chromium, Iron-Chromium-Nickel and Related Alloys. Report of Committee A-10, 87.

Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, 137.

Performance Tests, atmospheric exposure tests of electroplated lead coatings on steel. Report of Subcommittee II, Committee B-8, 152.

Record of failures in atmospheric exposure tests at Annapolis of No. 22-gage copper-bearing and non-copper-bearing corrugated black sheets. Report of Subcommittee III, Committee A-5, 68.

A Sulfur Print Method for the Study of Crack Growth in the Corrosion-Fatigue of Metals—R. C. Brumfield, 544.

Surface-Conversion Coatings—George W. Jernstedt. Published in ASTM BULLETIN, No. 137, December, 1945, p. 29.

A Theory of the Mechanism of Rusting of Low Alloy Steels in the Atmosphere—H. R. Copson, 554. Discussion, 581.

A Variable Cycle Alternate Immersion Corrosion Testing Machine—C. H. Mahoney. A. L. Tarr, and K. A. Skeie, 719.

**Corrosion-Resisting Alloy Steels.**

See also **Alloy Steels.**

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 70.

Iron-Chromium, Iron-Chromium-Nickel and Related Alloys. Report of Committee A-10, 87.

**Cotton.**

See also **Textile Materials.**

Textile Materials. Report of Committee D-13, 323.

**Crack Growth.**

A Sulfur Print Method for the Study of Crack Growth in the Corrosion-Fatigue of Metals—R. C. Brumfield, 544.

**Crankcase Oils.**

See **Lubricants; Petroleum Products.**

**Creep Tests.**

See **Temperature, Effect of.**

**D****Deoxidation.**

Structural Changes in Carbon and Molybdenum Steels During Prolonged Heating at 900 to 1100 F., as Affected by Deoxidation Practice—G. V. Smith, R. F. Miller, and C. O. Tarr, 486. Discussion, 504.

**Detergents.**

Metal Cleaning: I—Indirect Performance Tests—Jay C. Harris, 985.

Metal Cleaning: II—Soil Removal Performance Methods—Jay C. Harris, 997.

**Die Castings.**

Die-Cast Metals and Alloys. Report of Committee B-6, 134.

**Dielectric Strength.**

Report on Results of Questionnaire to Utilities Relating to Tests on Transformer Oil in Service. Report of Subcommittee IV, Committee D-9, Appendix III, 302.

**Dimensional Stability.**

Dimensional Stability of Plastics—Robert Burns, 926.

**Dipentene.**

Naval Stores. Report of Committee D-17, 349.

**Dissolved Oxygen.**

Proposed Methods for Determination of Dissolved Oxygen in Industrial Waters. Published in ASTM BULLETIN, No. 137, December, 1945, p. 19.

Proposed Methods of Test for Dissolved Oxygen in Industrial Waters. Report of Committee D-19, Appendix, 360.



**Distillation Test.**

Cooperative Distillation Tests of Aromatic Hydrocarbons. Report of Committee D-16, Appendix I, 340.

**Dolomitic Lime.**

Properties of Highly Hydrated Dolomitic Masonry Limes and Certain of Their Cement-Lime Mortars—G. J. Fink and Emil Trattner, 723.

**Durability.**

See **Weathering.**

**Duralumin.**

See **Aluminum.**

**Dynamic Testing.**

Report on Comparative Short-Time Tests for Sulfate Resistance of 121 Commercial Cements—Dalton G. Miller and Charles G. Snyder. Report of the Working Committee on Sulfate Resistance, Committee C-1, Appendix III, 165.

**E**

**Effect of Specimen Size.**

See **Test Specimens.**

**Effect of Temperature.**

See **Temperature, Effect of.**

**Elastic Constants.**

Equations for Computing Elastic Constants from Flexural and Torsional Resonant Frequencies of Vibration of Prisms and Cylinders—Gerald C. Pickett, 846. Discussion, 864.

**Elasticity.**

See **Compression Testing; Tension Testing.**

**Elastomers.**

See **Rubber Products.**

**Electrical Conductivity.**

Electrical Conductivity of Conductors—L. F. Roehmann, 711.

**Electrical Insulating Materials.**

Dimensional Stability of Plastics—Robert Burns, 926.

Electrical Insulating Materials. Report of Committee D-9, 275.

Electrical Insulating Materials. Report of Sectional Committee C-59, 310.

Plastics. Report of Committee D-20, 369.

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix II, 292.

Recommendations Affecting Standards on Electrical Insulating Materials. Report of Committee D-9, Appendix I, 283.

Report on Results of Questionnaire to Utilities Relating to Tests on Transformer Oil in Service. Report of Subcommittee IV, Committee D-9, Appendix III, 302.

**Electrical Tests.**

Methods Used for the Measurement of the Moisture Content of Wood—M. E. Dunlap. Report of Committee D-7, Appendix, 269.

**Electrical-Resistance and Heating Alloys.**

Electrical-Heating, Electrical-Resistance, and Electric-Furnace Alloys. Report of Committee B-4, 108.

**Electric-Furnace Alloys.**

Electrical-Heating, Electrical-Resistance, and Electric-Furnace Alloys. Report of Committee B-4, 108.

**Electrodeposited Coatings.**

Corrosion of Iron and Steel. Report of Committee A-5, 66.

Electrodeposited Metallic Coatings. Report of Committee B-8, 149.

Performance Tests, atmospheric exposure tests of electroplated lead coatings on steel. Report of Subcommittee II, Committee B-8, 152.

Recommendations Affecting Standards for Electrodeposited Metallic Coatings. Report of Committee B-8, Appendix, 154.

**Electrolytic Corrosion.**

Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 105.

**Electronic Materials.**

Electrical-Heating, Electrical-Resistance, and Electric-Furnace Alloys. Report of Committee B-4, 108.

**Elevated Temperature.**

See **Temperature, Effect of.**

**Emulsification Test.**

Report on Results of Questionnaire to Utilities Relating to Tests on Transformer Oil in Service. Report of Subcommittee IV, Committee D-9, Appendix III, 302.

**Endurance Testing.**

See **Fatigue Testing.**

**Evaporation Method.**

Determination of Gum Values by the I.P.T. and A.S.T.M. Air Jet Gum Methods—E. L. Walters and D. L. Yabroff. Published in ASTM BULLETIN, No. 135, August, 1945, p. 40.

**Executive Committee.**

Annual Report of the Executive Committee, 21.

**Expansion Test.**

Report on Comparative Short-Time Tests for Sulfate Resistance of 121 Commercial Cements—Dalton G. Miller and Charles G. Snyder. Report of the Working Committee on Sulfate Resistance, Committee C-1, Appendix III, 165.

**Exposure Tests.**

See **Corrosion; Weathering.**

**F****Fabrics.**

See **Textile Materials.**

**Fatigue Testing.**

An Automotive Tire Fatigue Machine—John N. Kenyon. Published in ASTM BULLETIN, No. 136, October, 1945, p. 9.

Comparative Fatigue Test Data—C. S. Venable. Published in ASTM BULLETIN, No. 136, October, 1945, p. 17.

The Corrosion-Fatigue Properties of Some

Hard Lead Alloys in Sulfuric Acid—David J. Mack, 629.

The Effect of Overstress in Fatigue on the Endurance Life of Steel—J. B. Kommers, 532. Discussion, 542.

Fatigue of Metals. Report of the Research Committee, 91.

Fatigue Tests of a Laminated Mitscherlich-Paper Plastic—William N. Findley, 878. Discussion, 904.

Relation Between Life Testing and Conventional Tests of Materials—R. E. Peterson. Published in ASTM BULLETIN, No. 133, March, 1945, p. 9.

Standard Fatigue Tester for Use by the Rayon Manufacturers—Report to Committee D-13—W. H. Bradshaw. Published in ASTM BULLETIN, No. 136, October, 1945, p. 13.

Statistical Comparison of Rayon Tire Cord Fatigue Testing Machines—C. B. Budd and L. Larrick. Published in ASTM BULLETIN, No. 136, October, 1945, p. 19.

A Study of Size Effect and Notch Sensitivity in Fatigue Tests of Steel—H. F. Moore, 507. Discussion, 522.

A Suggested New Parameter for Fatigue Strength Analysis—Victor Seliger. Published in ASTM BULLETIN, No. 132, January, 1945, p. 29.

A Sulfur Print Method for the Study of Crack Growth in the Corrosion-Fatigue of Metals—R. C. Brumfield, 544.

**Fence.**

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 70.

**Fiberboard.**

Paper and Paper Products. Report of Committee D-6, 257.

**Fibers.**

Textile Materials. Report of Committee D-13, 323.

**Filler Metal.**

Filler Metal. Report of Joint Committee, 94.

**Films.**

General Properties of Industrial Radiographic

Films—Herman E. Seemann. Published in ASTM BULLETIN, No. 134, May, 1945, p. 17.

**Finances.**

Annual Report of the Executive Committee, 21.  
Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 92.

**Fineness.**

Proposed Method of Test for Fineness of Portland Cement by Air Permeability Apparatus. Report of Committee C-1, Appendix IV, 195.  
The Testing of Portland Cements Containing Interground Vinsol Resin—Raymond L. Blaine, Jason C. Yates, and John R. Dwyer, 732. Discussion, 753.

**Fire Brick.**

See **Refractories.**

**Fire Tests.**

Fire Tests of Materials and Construction. Report of Committee C-5, 201.  
Some Factors in the Interpretation of Small-Scale Tests for Fire-Retardant Wood—F. W. Gottschalk. Published in ASTM BULLETIN, No. 136, October, 1945, p. 40.

**Flexure Testing.**

Effect of Dimensions of Specimens upon the Precision of Strength Data—John Tucker, Jr., 952. Discussion, 960.  
The Effect of Width and of Span-Depth Ratio on the Flexural Strength of Laminated Plastics—E. M. Schoenborn, George R. Proctor, and Jaime Carvajal, 910. Discussion, 923.  
Equations for Computing Elastic Constants from Flexural and Torsional Resonant Frequencies of Vibration of Prisms and Cylinders—Gerald Pickett, 846. Discussion, 864.  
Flexural Properties of Plastics—Summary of Test Results Obtained in Committee D-20—W. A. Zinzow. Report of Committee D-20, Appendix II, 376. Discussion, 389.

**Forgings.**

Fracture Testing of Alloy Steels for Aircraft

Engine Forgings—R. D. Haworth, Jr. and A. F. Christian, 407. Discussion, 441.

Summary of Proceedings of the Philadelphia District Meeting—Symposium on Magnetic Particle Testing, 722.

**Fracture Testing.**

Fracture Testing of Alloy Steels for Aircraft Engine Forgings—R. D. Haworth, Jr. and A. F. Christian, 407. Discussion, 441.

**Freezing-and-Thawing Test.**

Automatic Accelerated Freezing-and-Thawing Apparatus for Concrete—Charles E. Wuerpel and Herbert K. Cook, 813.

**Fuel Oil.**

See **Petroleum Products.**

**G**

**Galvanic Corrosion.**

Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 105.

**Galvanizing.**

See **Zinc Coatings.**

**Gal Welding.**

See **Welds.**

**Gaseous Fuels.**

Gaseous Fuels. Report of Committee D-3, 253.

**Gasoline.**

Determination of Gum Values by the I.P.T. and A.S.T.M. Air Jet Gum Methods—E. L. Walters and D. L. Yabroff. Published in ASTM BULLETIN, No. 135, August, 1945, p. 40.  
Petroleum Products and Lubricants. Report of Committee D-2, 228.  
Proposed Method of Test for Total Olefinic and Aromatic Hydrocarbons in Gasoline. Report of Committee D-2, Appendix II, 247.  
Proposed Revisions in the Methods of Test for Knock Characteristics of Motor Fuels (D 357 - 45) and of Aviation Fuels (D 614 - 44 T). Report of Technical Committee A on Gasoline, Committee D-2, 233.

**Glass.**

Electrical Insulating Materials. Report of Committee D-9, 275.

Glass—A Summary of Its Development as an Art and as a Science—F. C. Flint. Published in ASTM BULLETIN, No. 132, January, 1945, p. 19.

**Glass Textiles.**

See also **Textiles.**

Textile Materials. Report of Committee D-13, 323.

**Glue.**

See **Adhesives.**

**Grease.**

See **Lubricants.**

**Gum Values.**

Determination of Gum Values by the I.P.T. and A.S.T.M. Air Jet Gum Methods—E. L. Walters and D. L. Yabroff. Published in ASTM BULLETIN, No. 135, August, 1945, p. 40.

**Gurley-Hill S-P-S Tester.**

Proposed Methods of Test for Smoothness of Paper. Report of Committee D-6, Appendix, 260.

**H****Hard Rubber.**

See **Rubber Products.**

**Hardness Testing.**

Structural Changes in Carbon and Molybdenum Steels During Prolonged Heating at 900 to 1100 F., as Affected by Deoxidation Practice—G. V. Smith, R. F. Miller, and C. O. Tarr, 486. Discussion, 504.

**Heat Distortion Recorder.**

An Automatic Heat Distortion Recorder for Plastics—George A. Heirholzer and R. F. Boyer. Published in ASTM BULLETIN, No. 134, May, 1945, p. 37.

**Heat Effect.**

Effect of Heat on Portland Cements Containing Vinsol Resin—Leonard Bean and Albert Litvin, 766.

**Heavy-Wall Pipe.**

The Manufacture of Heavy-Wall Pipe 12½ to 24 In. Outside Diameter—E. C. Wright. Published in ASTM BULLETIN, No. 133, March, 1945, p. 19.

**High-Temperature Materials.**

See also **Refractories; Temperature, Effect of.**

Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 92.

**High-Temperature Testing.**

See **Temperature, Effect of.**

**Hydrocarbons, Aromatic Industrial.**

See **Benzene; Solvents; Toluene; Xylene.**

**Hydrogen Ion Determination.**

See **pH Value.**

**Ignition Temperature.**

Test Criterion for an Incombustible Material—N. P. Setchkin and S. H. Ingberg, 866. Discussion, 876.

**Immersion Testing.**

Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 105.

A Variable Cycle Alternate Immersion Corrosion Testing Machine—C. H. Mahoney, A. L. Tarr, and K. A. Skeie, 719.

**Incombustible Materials.**

Test Criterion for an Incombustible Material—N. P. Setchkin and S. H. Ingberg, 866. Discussion, 876.

**Industrial Aromatic Hydrocarbons.**

See **Benzene; Solvents; Toluene; Xylene.**  
Industrial Aromatic Hydrocarbons. Report of Committee D-16, 337.

**Industrial Waters.**

See **Water.**

**Insulating Materials.**

See **Electrical Insulating Materials; Refractories; Thermal Insulating Materials.**

**Iron.**

See also **Malleable Iron; Wrought Iron.**

Corrosion of Iron and Steel. Report of Committee A-5, 66.

Filler Metal. Report of Joint Committee, 94.  
Observations on the Appearance Welding of Malleable Castings—H. A. Schwartz, Ira Young, and James Hedberg, 618. Discussion, 626.

**Iron-Chromium-Nickel Alloys.**

See **Corrosion-Resisting Alloy Steels; Electrical-Resistance and Heating Alloys.**

**K****Knock Characteristics.**

Proposed Revisions in the Methods of Test for Knock Characteristics of Motor Fuels (D 357 - 45) and of Aviation Fuels (D 614 - 44 T). Report of Technical Committee A on Gasoline, Committee D-2, 233.

**L****Lacquers.**

See also **Electrical Insulating Materials.**  
Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 220.

**Laminated Plastics.**

The Effect of Width and of Span-Depth Ratio on the Flexural Strength of Laminated Plastics—E. M. Schoenborn, George R. Proctor, and Jaime Carvajal, 910. Discussion, 923.

Fatigue Tests of a Laminated Mitscherlich-Paper Plastic—William N. Findley, 878. Discussion, 904.

**Latex.**

See **Rubber Products.**

**Lead.**

The Corrosion-Fatigue Properties of Some Hard Lead Alloys in Sulfuric Acid—David J. Mack, 629.

Non-Ferrous Metals and Alloys. Report of Committee B-2, 102.

Performance Tests, atmospheric exposure tests of electroplated lead coatings on steel.

Report of Subcommittee II, Committee B-9, 152.

**Lead Coated Wire.**

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 70.

**Life Testing, Oil.**

Life Testing of Lubrication Oil—H. C. Mougey. Published in ASTM BULLETIN, No. 132, January, 1945, p. 15.

**Light Aging Test.**

See **Weathering.**

**Light Metals.**

See **Aluminum; Magnesium.**

**Lime.**

Lime. Report of Committee C-7, 203.

Properties of Highly Hydrated Dolomitic Masonry Limes and Certain of Their Cement-Lime Mortars—G. J. Fink and Emil Trattner, 723.

Proposed Revision of the Tentative Methods of Physical Testing of Quicklime and Hydrated Lime (C 110 - 38 T). Report of Committee C-7, Appendix, 206.

**Linoleum.**

A New Machine for Measuring Wear Resistance of Walkway Materials—A. W. Cizek, Jr., D. H. Kallas, and H. Nestlen, 943. Discussion, 951.

**Liquid Dielectrics.**

See **Askarels; Electrical Insulating Materials; Transformer Oils.**

**Low-Temperature Testing.**

See **Temperature, Effect of.**

**Lubricants.**

Cooperative Committees Developing Test Methods for Lubricating Greases—T. G. Roehner. Published in ASTM BULLETIN, No. 133, March, 1945, p. 31.

Life Testing of Lubrication Oil—H. C. Mougey. Published in ASTM BULLETIN, No. 132, January, 1945, p. 15.

Past History of A.S.T.M. Lubricating Grease

**Lubricants (Continued)**

Test Methods—H. A. McConville. Published in ASTM BULLETIN, No. 133, March, 1945, p. 29.

Petroleum Products and Lubricants. Report of Committee D-2, 228.

Proposed Method of Test for Maximum Pour Points of Lubricating Oils Containing Pour Point Depressants. Report of Committee D-2, Appendix I, 244.

Results of Tests on Method for Estimating Maximum Pour Points of Lubricating Oils Containing Pour Point Depressants. Report of Subcommittee XVI, Committee D-2, 237.

**M****Magnesium.**

Compression Testing of Magnesium Alloy Sheet—A. A. Moore and J. C. McDonald, 698.

Die-Cast Metals and Alloys. Report of Committee B-6, 134.

Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, 137.

Recommendations Affecting Standards for Light Metals and Alloys, Cast and Wrought. Report of Committee B-7, Appendix I, 141.

**Magnetic Particle Testing.**

Summary of Proceedings of the Philadelphia District Meeting—Symposium on Magnetic Particle Testing, 722.

**Malleable Iron.**

Observations on the Appearance Welding of Malleable Castings—H. A. Schwartz, Ira Young, and James Hedberg, 618. Discussion, 626.

**Masonry Materials.**

Properties of Highly Hydrated Dolomitic Masonry Limes and Certain of Their Cement-Lime Mortars—G. J. Fink and Emil Trattner, 723.

Manufactured Masonry Units. Report of Committee C-15, 214.

Mortars for Unit Masonry. Report of Committee C-12, 213.

**Mechanical Analysis of Soils:**

A New Method for the Mechanical Analysis of Soils—Raul Valle-Rodas. Published in ASTM BULLETIN, No. 135, August, 1945, p. 44.

**Membership.**

Annual Report of the Executive Committee, 21.

**Merriman Slab Test.**

Report on Comparative Short-Time Tests for Sulfate Resistance of 121 Commercial Cements—Dalton G. Miller and Charles G. Synder. Report of the Working Committee on Sulfate Resistance, Committee C-1, Appendix III, 165, 193.

**Merriman Sugar Solubility Test.**

Report on Comparative Short-Time Tests for Sulfate Resistance of 121 Commercial Cements—Dalton G. Miller and Charles G. Synder. Report of the Working Committee on Sulfate Resistance, Committee C-1, Appendix III, 165, 194.

**Metal Cleaning.**

Metal Cleaning: I—Indirect Performance Tests—Jay C. Harris, 985.

Metal Cleaning: II—Soil Removal Performance Methods—Jay C. Harris, 997.

**Metallography.**

Observations on the Appearance Welding of Malleable Castings—H. A. Schwartz, Ira Young, and James Hedberg, 618. Discussion, 626.

Structural Changes in Carbon and Molybdenum Steels During Prolonged Heating at 900 to 1100 F., as Affected by Deoxidation Practice—G. V. Smith, R. F. Miller, and C. O. Tarr, 486. Discussion, 504.

**Mica.**

Electrical Insulating Materials. Report of Committee D-9, 275.



**Modulus of Elasticity.**

Single-Strip Compression Test for Sheet Materials—Harry LaTour and Don S. Wolford, 671. Discussion, 689.

**Modulus of Rupture.**

The Maximum Stresses Present at Failure of Brittle Materials—J. Tucker, Jr., 961. Discussion, 974.

**Moisture Test.**

Methods Used for the Measurement of the Moisture Content of Wood—M. E. Dunlap. Report of Committee D-7, Appendix, 269.

**Molded Insulating Materials.**

See **Electrical Insulating Materials; Plastics; Thermal Insulating Materials.**

**Molybdenum Steel.**

See also **Alloy Steel.**  
Structural Changes in Carbon and Molybdenum Steels During Prolonged Heating at 900 to 1100 F., as Affected by Deoxidation Practice—G. V. Smith, R. F. Miller, and C. O. Tarr, 486. Discussion, 504.

**Mortar.**

Lime. Report of Committee C-7, 203.  
Mortars for Unit Masonry. Report of Committee C-12, 213.  
Properties of Highly Hydrated Dolomitic Masonry Limes and Certain of Their Cement-Lime Mortars—G. J. Fink and Emil Trattner, 723.  
The Testing of Portland Cements Containing Interground Vinsol Resin—Raymond L. Blaine, Jason C. Yates and John R. Dwyer, 732. Discussion, 753.

**Motor Fuel.**

See **Gasoline; Petroleum Products.**

**Motor Oils.**

See **Lubricants; Petroleum Products.**

**N**

**Natural Building Stone.**

See **Aggregates.**

**Naval Stores.**

Naval Stores. Report of Committee D-17, 349.

**Neutralization Number.**

Symposium on Neutralization Number. Published in ASTM BULLETIN, No. 134, May, 1945, p. 48.  
Introduction—H. P. Ferguson.  
Neutralization Number from the Viewpoint of the Industrial Engineer—C. L. Pope.  
Neutralization Number from the Viewpoint of the Turbine Engineer—I—F. C. Linn.  
Neutralization Number from the Viewpoint of the Turbine Engineer—II—G. H. von Fuchs.  
Neutralization Number from the Viewpoint of the Automotive Engineer—H. R. Wolf.  
A Comparison of the Salt Method with A.S.T.M. Method for Determining the Acidity of Lubricating Oils—C. M. Loane.

**Nickel.**

The Effect of the Iron Content of Cupro-Nickel on Its Corrosion Resistance in "Sea Water"—A. W. Tracy and R. L. Hungerford, 591. Discussion, 613.  
Electrodeposited Metallic Coatings. Report of Committee B-8, 149.  
Non-Ferrous Metals and Alloys. Report of Committee B-2, 102.

**Nickel-Chromium Alloys.**

See **Alloy Steel; Corrosion-Resisting Alloy Steel.**

**Nickel-Copper Alloys.**

Non-Ferrous Metals and Alloys. Report of Committee B-2, 102.

**Nickel Steel.**

See also **Alloy Steel.**  
A Theory of the Mechanism of Rusting of Low Alloy Steels in the Atmosphere—H. R. Copson, 554. Discussion, 581.

**Notch Sensitivity.**

A Study of Size Effect and Notch Sensitivity in Fatigue Tests of Steel—H. F. Moore, 507. Discussion, 522.

## O

**Oven Aging.**

High Temperature Oven Aging of Oil-Resisting Synthetic Rubber Compounds—G. D. McCarthy, A. E. Juve, H. Boxser, M. Sanger, S. R. Doner, E. N. Cunningham, J. F. McWhorter, and R. H. Crossley. Published in ASTM BULLETIN, No. 132, January, 1945, p. 33.

**Overstress Effect.**

The Effect of Overstress in Fatigue on the Endurance Life of Steel—J. B. Kommers, 532. Discussion, 542.

**Oxygen.**

Proposed Methods of Test for Dissolved Oxygen in Industrial Waters. Report of Committee D-19, Appendix, 360.

## P

**Paint.**

A New Coating Thickness Gage—S. Lipson. Published ASTM BULLETIN, No. 135, August, 1945, p. 20.  
Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 220.

**Paper.**

Electrical Insulating Materials. Report of Committee D-9, 275.  
Paper and Paper Products. Report of Committee D-6, 257.  
Proposed Methods of Test for Smoothness of Paper. Report of Committee D-6, Appendix, 260.  
Shipping Containers. Report of Committee D-10, 311.

**Paper Laminated Plastic.**

Fatigue Tests of a Laminated Mitscherlich-Paper Plastic—William N. Findley, 878. Discussion, 904.

**Papers and Publications.**

Annual Report of the Executive Committee, 21.  
Preparations for the Future of the A.S.T.M. Annual Address by the President, P. H. Bates, 14.

**Parameter.**

A Suggested New Parameter for Fatigue Strength Analysis—Victor Seliger. Published in ASTM BULLETIN, No. 132, January, 1945, p. 29.

**Particle Testing.**

Summary of Proceedings of the Philadelphia District Meeting—Symposium on Magnetic Particle Testing, 722.

**Paul's Water Floc Test.**

Report on Comparative Short-Time Tests for Sulfate Resistance of 121 Commercial Cements—Dalton G. Miller and Charles G. Synder. Report of the Working Committee on Sulfate Resistance, Committee C-1, Appendix III, 165, 194.

**Paving Materials.**

See **Aggregates; Brick; Cement; Concrete; Soils.**

**Penetration.**

See **Consistency.**

**Performance Tests.**

Metal Cleaning: I—Indirect Performance Tests—Jay C. Harris, 985.  
Metal Cleaning: II—Soil Removal Performance Methods—Jay C. Harris, 997.

**Permanence.**

Summary of Proceedings of the Symposium, on Adhesives, 1023.

**Permeability.**

Proposed Method of Test for Fineness of Portland Cement by Air Permeability Apparatus. Report of Committee C-1, Appendix IV, 195.

**Petroleum Products.**

Aromatic Petroleum Solvents. Report of Special Committee, Committee D-16, Appendix II, 348.  
Cooperative Committees Developing Test Methods for Lubricating Greases—T. G. Roehner. Published in ASTM BULLETIN, No. 133, March, 1945, p. 31.  
Life Testing of Lubrication Oil—H. C. Mou-

gey. Published in ASTM BULLETIN, No. 132, January, 1945, p. 15.

Past History of A.S.T.M. Lubricating Grease Test Methods—H. A. McConville. Published in ASTM BULLETIN, No. 133, March, 1945, p. 29.

Petroleum Products and Lubricants. Report of Committee D-2, 228.

Proposed Method of Test for Maximum Pour Points of Lubricating Oils Containing Pour Point Depressants. Report of Committee D-2, Appendix I, 244.

Proposed Method of Test for Total Olefinic and Aromatic Hydrocarbons in Gasoline. Report of Committee D-2, Appendix II, 247.

Results of Tests on Method for Estimating Maximum Pour Points of Lubricating Oils Containing Pour Point Depressants. Report of Subcommittee XVI, Committee D-2, 237.

Symposium on Neutralization Number. Published in ASTM BULLETIN, No. 134, May, 1945, p. 48.

Introduction—H. P. Ferguson.

Neutralization Number from the Viewpoint of the Industrial Engineer—C. L. Pope.

Neutralization Number from the Viewpoint of the Turbine Engineer—I—F. C. Linn.

Neutralization Number from the Viewpoint of the Turbine Engineer—II—G. H. von Fuchs.

Neutralization Number from the Viewpoint of the Automotive Engineer—H. R. Wolf.

A Comparison of the Salt Method with A.S.-T.M. Method for Determining the Acidity of Lubricating Oils—C. M. Loane.

#### pH Value.

The pH of Some Standard Buffer Solutions from 0 to 60 C. and the Calibration of Glass Electrode pH Meters—George G. Manov and S. F. Acree. Published in ASTM BULLETIN, No. 137, December, 1945, p. 25.

#### Phenolic Materials.

See **Electrical Insulating Materials; Plastics.**

#### Pigments.

Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 220.

#### Pine Oil.

The Determination of the Terpene Alcohol Content of Steam-Distilled Pine Oil—V. E. Grotlich and H. N. Burstein, 1015.

Naval Stores. Report of Committee D-17, 349.

#### Pipe and Piping Materials.

Clay Pipe. Report of Committee C-4, 200.

The Manufacture of Heavy-Wall Pipe 12½ to 24 In. Outside Diameter—E. C. Wright. Published in ASTM BULLETIN, No. 133, March, 1945, p. 19.

#### Plastic Refractories.

See **Refractories.**

#### Plastics.

See also **Electrical Insulating Materials.**

An Automatic Heat Distortion Recorder for Plastics—George A. Heirholzer and R. F. Boyer. Published in ASTM BULLETIN, No. 134, May, 1945, p. 37.

Dimensional Stability of Plastics—Robert Burns, 926.

The Effect of Width and of Span-Depth Ratio on the Flexural Strength of Laminated Plastics—E. M. Schoenborn, George R. Proctor, and Jaime Carvajal, 910. Discussion, 923.

Electrical Insulating Materials. Report of Committee D-9, 275.

Fatigue Tests of a Laminated Mitscherlich-Paper Plastic—William N. Findley, 878. Discussion, 904.

Flexural Properties of Plastics—Summary of Test Results Obtained in Committee D-20—W. A. Zinzow. Report of Committee D-20, Appendix II, 376. Discussion, 389.

Plastics. Report of Committee D-20, 369.

Recommendations Affecting Standards on Plastics. Report of Committee D-20, Appendix I, 374.

A Simplified Method for the Determination of the Specific Gravity of Wood and Plastics—E. George Stern and Paul S. Dear. Published in ASTM BULLETIN, No. 135, August, 1945, p. 35.

**Plating.**

See **Electrodeposited Coatings.**

**Plywood.**

The Effect of Specimen Shape on the Compressive Strength Properties of Laterally Supported Plywood Specimens—J. A. Liska, 935.

Wood. Report of Committee D-7, 265.

**Popping and Pitting Test.**

Proposed Revision of the Tentative Methods of Physical Testing of Quicklime and Hydrated Lime (C 110-38 T). Report of Committee C-7, Appendix, 206.

**Pore Water Pressure.**

Stress Conditions for the Failure of Saturated Concrete and Rock—K. Terzaghi, 777. Discussion, 793.

**Portland Cement.**

See **Cement.**

**Pour Point.**

Proposed Method of Test for Maximum Pour Points of Lubricating Oils Containing Pour Point Depressants. Report of Committee D-2, Appendix I, 244.

Results of Tests on Method for Estimating Maximum Pour Points of Lubricating Oils Containing Pour Point Depressants. Report of Subcommittee XVI, Committee D-2, 237.

**Power Factor.**

Report on Results of Questionnaire to Utilities Relating to Tests on Transformer Oil in Service. Report of Subcommittee IV, Committee D-9, Appendix III, 302.

**Presidential Address.**

Preparations for the Future of the A.S.T.M. Annual Address by the President, P. H. Bates, 14.

**Publications.**

See **Papers and Publications.**

**Pull-Out Specimen.**

The Effect of Repeated Loading on the Bond Strength of Concrete—C. W. Muhlenbruch, 824.

**Quicklime.**

See **Lime.**

**Q****R****Radio Materials.**

See **Electronic Materials.**

**Radiographic Films.**

General Properties of Industrial Radiographic Films—Herman E. Seemann. Published in ASTM BULLETIN, No. 134, May, 1945, p. 17.

**Railroad Equipment Testing.**

Summary of Proceedings of the Philadelphia District Meeting—Symposium on Magnetic Particle Testing, 722.

**Rayon.**

Textile Materials. Report of Committee D-13, 323.

**Rayon Tire Cord.**

Comparative Fatigue Test Data—C. S. Venable. Published in ASTM BULLETIN, No. 136, October, 1945, p. 17.

Standard Fatigue Tester for Use by the Rayon Manufacturers—Report to Committee D-13—W. H. Bradshaw. Published in ASTM BULLETIN, No. 136, October, 1945, p. 13. Statistical Comparison of Rayon Tire Cord Fatigue Testing Machines—C. B. Budd and L. Larrick. Published in ASTM BULLETIN, No. 136, October, 1945, p. 19.

**Refractive Index.**

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix II, 292.

**Refractories.**

Refractories. Report of Committee C-8, 208.

**Repeated Loading.**

The Effect of Repeated Loading on the Bond Strength of Concrete—C. W. Muhlenbruch, 824.

**Research.**

Annual Report of the Executive Committee, 21.

Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 92.

Fatigue of Metals. Report of the Research Committee, 91.

#### Resins.

See also **Plastics; Shellac; Soaps and Detergents; Varnish.**

#### Road Materials.

See also **Aggregates; Brick; Cement; Concrete; Soils.**

Soils for Engineering Purposes. Report of Committee D-18, 354.

#### Rock.

Stress Conditions for the Failure of Saturated Concrete and Rock—K. Terzaghi, 777. Discussion, 793.

#### Rockwell Hardness.

See **Hardness Testing.**

#### Roofing Materials.

Fire Tests of Materials and Construction. Report of Committee C-5, 201.

#### Rosin.

Naval Stores. Report of Committee D-17, 349.

#### Rubber Products.

A Rubber Housing for Waterproofing the Bonded-Wire Strain Gage—Douglas McHenry. Published in ASTM BULLETIN, No. 133, March, 1945, p. 18.

Rubber and Rubber-Like Materials. Report of Committee D-11, 312.

#### Rusting.

A Theory of the Mechanism of Rusting of Low Alloy Steels in the Atmosphere—H. R. Copson, p. 554. Discussion, 581.

### S

#### Salt Spray Tests.

See also **Corrosion.**

A Comparison of the Performance of Anodic Coatings Exposed to Salt Spray and to the

Weather—Junius D. Edwards. Report of Committee B-7, Appendix II, 146.

Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 105.

#### Sampling.

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix II, 292.

#### Sand.

See also **Aggregates.**

A Comparison of Absorption and Soundness Tests on Maine Sands—Andrew Adams and Horace A. Pratt, 771.

#### Saturation.

Stress Conditions for the Failure of Saturated Concrete and Rock—K. Terzaghi, 777. Discussion, 793.

#### Sea Water Corrosion.

See also **Corrosion; Immersion Testing.**

The Effect of the Iron Content of Cupro-Nickel on Its Corrosion Resistance in "Sea Water"—A. W. Tracy and R. L. Hungerford, 591. Discussion, 613.

#### Shellac.

Electrical Insulating Materials. Report of Committee D-9, 275.

Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 220.

#### Ship Tests.

Practical Electric Resistance Strain Gage Procedures for Structural Tests on Ships—W. V. Bassett, 651. Discussion, 667.

#### Shipping Containers.

Shipping Containers. Report of Committee D-10, 311.

#### Sheet Material

Compression Testing of Magnesium Alloy Sheet—A. A. Moore and J. C. McDonald, 698.

Single-Strip Compression Test for Sheet Materials—Harry LaTour and Don S. Wolford, 671. Discussion, 689.

**Simulated Service Tests.**

Relation Between Life Testing and Conventional Tests of Materials—R. E. Peterson. Published in ASTM BULLETIN, No. 133, March, 1945, p. 9.

**Size Effect.**

A Study of Size Effect and Notch Sensitivity in Fatigue Tests of Steel—H. F. Moore, 507. Discussion, 522.

**Slag Cement.**

Proposed Specifications for Portland Blast-Furnace Slag Cement. Report of Committee C-1, Appendix II, 162.

**Sludge Test.**

Report on Results of Questionnaire to Utilities Relating to Tests on Transformer Oil in Service. Report of Subcommittee IV, Committee D-9, Appendix III, 302.

**Smoothness Test.**

Proposed Methods of Test for Smoothness of Paper. Report of Committee D-6, Appendix, 260.

**Soaps and Detergents.**

Soaps and Other Detergents. Report of Committee D-12, 319.

Tentative Revision of Standard Methods of Sampling and Chemical Analysis of Soaps and Soap Products (D 460-44). Report of Committee D-12, Appendix, 322.

**Soil Removal.**

Metal Cleaning. II—Soil Removal Performance Methods—Jay C. Harris, 997.

**Soils.**

Soils for Engineering Purposes. Report of Committee D-18, 354.

A New Method for the Mechanical Analysis of Soils—Raul Valle-Rodas. Published in ASTM BULLETIN, No. 135, August, 1945, p. 44.

**Solder.**

Non-Ferrous Metals and Alloys. Report of Committee B-2, 102.

**Solvents.**

Aromatic Petroleum Solvents. Report of Special Committee, Committee D-16, Appendix II, 348.

Cooperative Distillation Tests of Aromatic Hydrocarbons. Report of Committee D-16, Appendix I, 340.

Proposed Method of Test for Total Olefinic and Aromatic Hydrocarbons in Gasoline. Report of Committee D-2, Appendix II, 247.

**Sonic Testing.**

See **Dynamic Testing.**

**Soundness Tests.**

A Comparison of Absorption and Soundness Tests on Maine Sands—Andrew Adams and Horace A. Pratt, 771.

**Specific Gravity.**

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix II, 292.

A Simplified Method for the Determination of the Specific Gravity of Wood and Plastics—E. George Stern and Paul S. Dear. Published in ASTM BULLETIN, No. 135, August, 1945, p. 35.

**Specimen Shape, Effect of.**

Effect of Dimensions of Specimens upon the Precision of Strength Data—John Tucker, Jr., 952. Discussion, 960.

Effect of Length on the Strength of Compression Test Specimens—J. Tucker, Jr., 976.

The Effect of Specimen Shape on the Compressive Strength Properties of Laterally Supported Plywood Specimens—J. A. Liska, 935.

Effect of Type of Test Specimen on Apparent Compressive Strength of Concrete—Bryant Mather, 802. Discussion, 810.

The Effect of Width and of Span-Depth Ratio on the Flexural Strength of Laminated Plastics—E. M. Schoenborn, George R. Proctor, and Jaime Carvajal, 910. Discussion, 923.

**Sponge Rubber.**

See **Rubber Products.**



**Stainless Steel.**

See **Alloy Steel; Corrosion-Resisting Alloy Steel.**

**Standardization.**

Annual Report of the Executive Committee, 21.

Preparations for the Future of the A.S.T.M. Annual Address by the President, P. H. Bates, 14.

Standards. Report of Committee E-10, 395.

Summary of Proceedings of the Forty-eighth Annual Meeting, 1.

**Statistical Analysis.**

Effect of Dimensions of Specimens upon the Precision of Strength Data—John Tucker, Jr., 952. Discussion, 958.

The Maximum Stresses Present at Failure of Brittle Materials—J. Tucker, Jr., 961. Discussion, 974.

**Steel.**

Chemical Analysis of Metals. Report of Committee F-3, 391.

Corrosion of Iron and Steel. Report of Committee A-5, 66.

The Effect of Combined Stresses on the Mechanical Properties of Steels Between Room Temperature and -188 C.—D. J. McAdam, Jr., G. W. Geil, and R. W. Mebs, 448. Discussion, 482.

The Effect of Overstress in Fatigue on the Endurance Life of Steel—J. B. Kommers, 532. Discussion, 542.

Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 92.

Electrodeposited Metallic Coatings. Report of Committee B-8, 149.

Fatigue of Metals. Report of the Research Committee, 91.

Field Tests of Metallic Coatings. Report of Subcommittee VIII, Committee A-5, 69.

Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 70.

Filler Metal. Report of Joint Committee, 94.

Fracture Testing of Alloy Steels for Aircraft Engine Forgings—R. D. Haworth, Jr. and A. F. Christian, 407. Discussion, 441.

Iron-Chromium, Iron-Chromium-Nickel and

Related Alloys. Report of Committee A-10, 87.

Performance Tests, atmospheric exposure tests of electroplated lead coatings on steel. Report of Subcommittee II, Committee B-8, 152.

Record of failures in atmospheric exposure tests at Annapolis of No. 22-gage copper-bearing and non-copper-bearing corrugated black sheets. Report of Subcommittee III, Committee A-5, 68.

Single-Strip Compression Test for Sheet Materials—Harry LaTour and Don S. Wolford, 671. Discussion, 689.

Structural Changes in Carbon and Molybdenum Steels During Prolonged Heating at 900 to 1100 F., as Affected by Deoxidation Practice—G. V. Smith, R. F. Miller, and C. O. Tarr, 486. Discussion, 504.

A Study of Size Effect and Notch Sensitivity in Fatigue Tests of Steel—H. F. Moore, 507. Discussion, 522.

A Theory of the Mechanism of Rusting of Low Alloy Steels in the Atmosphere—H. R. Copson, 554. Discussion, 581.

**Stone.**

See **Aggregates.**

**Storage Battery Lead.**

The Corrosion-Fatigue Properties of Some Hard Lead Alloys in Sulfuric Acid—David J. Mack, 629.

**Strain Gage.**

Practical Electric Resistance Strain Gage Procedures for Structural Tests on Ships—W. V. Bassett, 651. Discussion, 667.

A Rubber Housing for Waterproofing the Bonded-Wire Strain Gage—Douglas McHenry. Published in ASTM BULLETIN, No. 133, March, 1945, p. 18.

**Stress Analysis**

Practical Electric Resistance Strain Gage Procedures for Structural Tests on Ships—W. V. Bassett, 651. Discussion, 667.

Stress Conditions for the Failure of Saturated Concrete and Rock—K. Terzaghi, 777. Discussion, 793.

A Suggested New Parameter for Fatigue Strength Analysis—Victor Seliger. Published in ASTM BULLETIN, No. 132, January, 1945, p. 29.

**Structural Steel.**

See Steel.

**Sulfate Resistance.**

Report on Comparative Short-Time Tests for Sulfate Resistance of 121 Commercial Cements—Dalton G. Miller and Charles G. Snyder. Report of the Working Committee on Sulfate Resistance, Committee C-1, Appendix III, 165.

**Sulfonates, Petroleum.**

See Soaps and Detergents

**Sulfur Print Method.**

A Sulfur Print Method for the Study of Crack Growth in the Corrosion-Fatigue of Metals—R. C. Brumfield, 544.

**Summary of Proceedings.**

Summary of Proceedings of the Forty-eighth Annual Meeting, 1.

**Surface-Conversion.**

Surface-Conversion Coatings—George W. Jernstedt. Published in ASTM BULLETIN, No. 137, December, 1945, p. 29.

**Synthetic Detergents.**

See Soaps and Detergents.

**Synthetic Rubbers.**

High Temperature Oven Aging of Oil-Resisting Synthetic Rubber Compounds—G. D. McCarthy, A. E. Juve, H. Boxser, M. Sanger, S. R. Doner, E. N. Cunningham, J. F. McWhorter, and R. H. Crossley. Published in ASTM BULLETIN, No. 132, January, 1945, p. 33.

Rubber and Rubber-Like Materials. Report of Committee D-11, 312.

**T****Tall Oil.**

Naval Stores. Report of Committee D-17, 349.

**Teak Wood.**

A New Machine for Measuring Wear Resistance of Walkway Materials—A. W. Cizek, Jr., D. H. Kallas, and H. Nestlen, 943. Discussion, 951.

**Temperature, Effect of.**

The Effect of Combined Stresses on the Mechanical Properties of Steels Between Room Temperature and -188 C.—D. J. McAdam, Jr., G. W. Geil, and R. W. Mebs, 448. Discussion, 482.

Effect of Temperature on the Properties of Metals. Report of Joint Research Committee, 92.

Electrical-Heating, Electrical-Resistance, and Electric-Furnace Alloys. Report of Committee B-4, 108.

Structural Changes in Carbon and Molybdenum Steels During Prolonged Heating at 900 to 1100 F., as Affected by Deoxidation Practice—G. V. Smith, R. F. Miller, and C. O. Tarr, 486. Discussion, 504.

**Templin Award.**

Richard L. Templin Award. Annual Report of the Executive Committee, 48.

**Tension Testing.**

Effect of Dimensions of Specimens upon the Precision of Strength Data—John Tucker, Jr., 952. Discussion, 960.

The Maximum Stresses Present at Failure of Brittle Materials—J. Tucker, Jr., 961. Discussion, 974.

The Testing of Portland Cements Containing Interground Vinsol Resin—Raymond L. Blaine, Jason C. Yates, and John R. Dwyer, 732. Discussion, 753.

**Terne Plate.**

Performance Tests, atmospheric exposure tests of electroplated coatings on steel. Report of Subcommittee II, Committee B-8, 152.

**Terpene Alcohol.**

The Determination of the Terpene Alcohol Content of Steam-Distilled Pine Oil—V. E. Grotlich and H. N. Burstein, 1015.

**Test Specimens.**

- Effect of Dimensions of Specimens Upon the Precision of Strength Data—John Tucker, Jr., 952. Discussion, 960.
- Effect of Length on the Strength of Compression Test Specimens—J. Tucker, Jr., 976.
- The Effect of Specimen Shape on the Compressive Strength Properties of Laterally Supported Plywood Specimens—J. A. Liska, 935.
- The Effect of Width and of Span-Depth Ratio on the Flexural Strength of Laminated Plastics—E. M. Schoenborn, George R. Proctor, and Jaime Carvajal, 910. Discussion, 923.

**Testing, Physical Methods of.**

(Papers and reports covering methods of analysis, sampling, testing, etc., are indexed under the materials and subjects covered by them.)

**Textiles.**

- Comparative Fatigue Test Data—C. S. Venable. Published in ASTM BULLETIN, No. 136, October, 1945, p. 17.
- Recommendations Affecting Standards for Textile Materials. Report of Committee D-13, Appendix, 329.
- Standard Fatigue Tester for Use by the Rayon Manufacturers—Report to Committee D-13—W. H. Bradshaw. Published in ASTM BULLETIN, No. 136, October, 1945, p. 13.
- Statistical Comparison of Rayon Tire Cord Fatigue Testing Machines—C. B. Budd and L. Larrick. Published in ASTM BULLETIN, No. 136, October, 1945, p. 19.
- A Suggested Method for Thorough Testing of Antiseptic Fabrics—Louis C. Barail. Published in ASTM BULLETIN, No. 136, October, 1945, p. 25.
- Textile Materials. Report of Committee D-13, 323.
- Tomorrow's Textiles—Yesterday's Test Methods—J. B. Goldberg. Published in ASTM BULLETIN, No. 135, August, 1945, p. 47.

**Thermal Insulating Materials.**

- Thermal Insulating Materials. Report of Committee C-16, 216.

**Thermosetting and Thermoplastic Materials.**

See Plastics.

**Thermostat Metals.**

- Electrical-Heating, Electrical-Resistance, and Electric-Furnace Alloys. Report of Committee B-4, 108.

**Thickness Gage.**

- A New Coating Thickness Gage—S. Lipson. Published in ASTM BULLETIN, No. 135, August, 1945, p. 20.

**Tile.**

- Manufactured Masonry Units. Report of Committee C-15, 214.

**Timber.**

See Wood.

**Tin.**

- Performance Tests, atmospheric exposure tests of electroplated coatings on steel. Report of Subcommittee II, Committee B-8, 152.

**Tire Cord.**

- Comparative Fatigue Test Data—C. S. Venable. Published in ASTM Bulletin, No. 136, October, 1945, p. 17.
- Standard Fatigue Tester for Use by the Rayon Manufacturers. Report to Committee D-13—W. W. Bradshaw. Published in ASTM BULLETIN, No. 136, October, 1945, p. 13.
- Statistical Comparison of Rayon Tire Cord Fatigue Testing Machines—C. B. Budd and L. Larrick. Published in ASTM BULLETIN, No. 136, October, 1945, p. 19.

**Toluene.**

- Aromatic Petroleum Solvents. Report of Special Committee, Committee D-16, Appendix II, 348.
- Cooperative Distillation Tests of Aromatic Hydrocarbons. Report of Committee D-16, Appendix I, 340.
- Industrial Aromatic Hydrocarbons. Report of Committee D-16, 337.
- Proposed Method of Test for Total Olefinic and Aromatic Hydrocarbons in Gasoline. Report of Committee D-2, Appendix II, 247.

**Torsion Testing.**

Effect of Dimensions of Specimens upon the Precision of Strength Data—John Tucker, Jr., 952. Discussion, 960.

Equations for Computing Elastic Constants from Flexural and Torsional Resonant Frequencies of Vibration of Prisms and Cylinders—Gerald Pickett, 846. Discussion, 864.

**Total Immersion Tests.**

See **Immersion Testing.**

**Traffic Paint.**

Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 220.

**Transformer Oils.**

Electrical Insulating Materials. Report of Committee D-9, 275.

Proposed Methods of Testing Askarels. Report of Committee D-9, Appendix II, 292.

Report on Results of Questionnaire to Utilities Relating to Tests on Transformer Oil in Service. Report of Subcommittee IV, Committee D-9, Appendix III, 302.

**V****Varnish.**

Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 220.

**Vibration Testing.**

Equations for Computing Elastic Constants from Flexural and Torsional Resonant Frequencies of Vibration of Prisms and Cylinders—Gerald Pickett, 846. Discussion, 864.

**Vinsol Resin.**

Effect of Heat on Portland Cements Containing Vinsol Resin—Leonard Bean and Albert Litvin, 766.

The Testing of Portland Cements Containing Interground Vinsol Resin—Raymond L. Blaine, Jason C. Yates, and John R. Dwyer, 732. Discussion, 753.

**Viscosity.**

Report on Results of Questionnaire to Utilities Relating to Tests on Transformer Oil in Service. Report of Subcommittee IV, Committee D-9, Appendix III, 302.

**Volume Change.**

Proposed Revision of the Tentative Methods of Physical Testing of Quicklime and Hydrated Lime (C 110-38 T). Report of Committee C-7, Appendix, 206.

**W****Walkway Materials.**

A New Machine for Measuring Wear Resistance of Walkway Materials—A. W. Cizek, Jr., D. H. Kallas, and H. Nestlen, 943. Discussion, 951.

**Water.**

Proposed Methods for Determination of Dissolved Oxygen in Industrial Waters. Published in ASTM BULLETIN, No. 137, December, 1945, p. 19.

Proposed Methods of Test for Dissolved Oxygen in Industrial Waters. Report of Committee D-19, Appendix, 360.

Water for Industrial Uses. Report of Committee D-19, 356.

**Water Retention Test.**

Proposed Revision of the Tentative Methods of Physical Testing of Quicklime and Hydrated Lime (C 110-38 T). Report of Committee C-7, Appendix, 206.

**Waterproofing.**

A Rubber Housing for Waterproofing the Bonded-Wire Strain Gage—Douglas McHenry. Published in ASTM BULLETIN, No. 133, March, 1945, p. 18.

**Wear Resistance.**

A New Machine for Measuring Wear Resistance of Walkway Materials—A. W. Cizek, Jr., D. H. Kallas, and H. Nestlen, 943. Discussion, 951.

**Weathering.**

See also **Corrosion.**

A Comparison of the Performance of Anodic

- Coatings Exposed to Salt Spray and to the Weather—Junius D. Edwards. Report of Committee B-7, Appendix II, 146.
- Corrosion of Non-Ferrous Metals and Alloys. Report of Committee B-3, 105.
- Field Tests of Metallic Coatings. Report of Subcommittee VIII, Committee A-5, 69.
- Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 70.
- Paint, Varnish, Lacquer, and Related Products. Report of Committee D-1, 220.
- Record of failures in atmospheric exposure tests at Annapolis of No. 22-gage copper-bearing and non-copper-bearing corrugated black sheets. Report of Subcommittee III, Committee A-5, 68.
- A Theory of the Mechanism of Rusting of Low Alloy Steels in the Atmosphere—H. R. Copson, 554. Discussion, 581.
- Welds.**
- Filler Metal. Report of Joint Committee, 94.
- Observations on the Appearance Welding of Malleable Castings—H. A. Schwartz, Ira Young and James Hedberg, 618. Discussion, 626.
- Williams Smoothness Tester.**
- Proposed Methods of Test for Smoothness of Paper. Report of Committee D-6, Appendix, 260.
- Wire.**
- See also **Steel**.
- Copper and Copper-Alloy Wires for Electrical Conductors. Report of Committee B-1, 96.
- Electrical-Heating, Electrical-Resistance, and Electric-Furnace Alloys. Report of Committee B-4, 108.
- Field Tests of Metallic Coatings. Report of Subcommittee VIII, Committee A-5, 69.
- Field Tests of Wire and Wire Products. Report of Wire Inspection Committee, Committee A-5, 70.
- Wood.**
- The Effect of Specimen Shape on the Compressive Strength Properties of Laterally Supported Plywood Specimens—J. A. Liska, 935.
- Fire Tests of Materials and Construction. Report of Committee C-5, 201.
- Methods Used for the Measurement of the Moisture Content of Wood—M. E. Dunlap. Report of Committee D-7, Appendix, 269.
- A Simplified Method for the Determination of the Specific Gravity of Wood and Plastics—E. George Stern and Paul S. Dear. Published in ASTM BULLETIN, No. 135, August, 1945, p. 35.
- Some Factors in the Interpretation of Small-Scale Tests for Fire-Retardant Wood—F. W. Gottschalk. Published in ASTM BULLETIN, No. 136, October, 1945, p. 40.
- Wood. Report of Committee D-7, 265.
- Wool.**
- See **Textiles**.
- Wrought Iron.**
- Field Tests of Metallic Coatings. Report of Subcommittee VIII, Committee A-5, 69.
- Record of failures in atmospheric exposure tests at Annapolis of No. 22-gage copper-bearing and non-copper-bearing corrugated black sheets. Report of Subcommittee III, Committee A-5, 68.
- Wrought Iron. Report of Committee A-2, 65.
- X**
- X-ray.**
- General Properties of Industrial Radiographic Films—Herman E. Seemann. Published in ASTM BULLETIN, No. 134, May, 1945, p. 17.
- Xylene.**
- Aromatic Petroleum Solvents. Report of Special Committee, Committee D-16, Appendix II, 348.
- Cooperative Distillation Tests of Aromatic Hydrocarbons. Report of Committee D-16, Appendix I, 340.
- Industrial Aromatic Hydrocarbons. Report of Committee D-16, 337.
- Proposed Method of Test for Total Olefinic

**Xylene** (*Continued*)

and Aromatic Hydrocarbons in Gasoline.  
Report of Committee D-2, Appendix II,  
247.

**Y****Yarns.**

See Textures.

**Z****Zinc.**

Die-Cast Metals and Alloys. Report of  
Committee B-6, 134.

Field Tests of Metallic Coatings. Report of  
Subcommittee VIII, Committee A-5, 69.

Performance Tests, atmospheric exposure tests  
of electroplated coatings on steel. Re-  
port of Subcommittee II, Committee B-8,  
152.

**Zinc Coatings.**

Corrosion of Iron and Steel. Report of Com-  
mittee A-5, 66.

Field Tests of Metallic Coatings. Report of  
Subcommittee VIII, Committee A-5, 69.

Field Tests of Wire and Wire Products. Re-  
port of Wire Inspection Committee, Com-  
mittee A-5, 70.



## AUTHOR INDEX

### VOLUME 45

#### A

- Abrams, Duff A.**  
Discussion, 755.
- Acree, S. F.**  
The pH of Some Standard Buffer Solutions from 0 to 60 C. and the Calibration of Glass Electrode pH Meters. Published in ASTM BULLETIN, No. 137, December, 1945, p. 25.
- Adams, Andrew**  
A Comparison of Absorption and Soundness Tests on Maine Sands, 771.
- Altieri, V. J.**  
Cooperative Distillation Tests. Appendix I, Report of Committee D-16, 340.
- Aston, James**  
Report of Committee A-2 on Wrought Iron, 65.

#### B

- Bahlke, W. H.**  
Report of Special Committee on Aromatic Petroleum Solvents. Appendix II, Report of Committee D-16, 348.
- Bailey, G. L.**  
Discussion, 616.
- Ball, H. J.**  
Report of Committee D-13 on Textile Materials, 323.
- Barail, Louis C.**  
A Suggested Method for Thorough Testing of Antiseptic Fabrics. Published in the ASTM BULLETIN, No. 136, October, 1945, p. 25.
- Bartholomew, E. L.**  
Discussion, 444.
- Bash, F. E.**  
Report of Committee B-4 on Electrical-Heating, Electrical-Resistance, and Electric-Furnace Alloys, 108.
- Bassett, W. V.**  
Practical Electric Resistance Strain Gage Procedures for Structural Tests on Ships, 651. Discussion, 669.
- Bates, P. H.**  
Annual Report of the Executive Committee, 21.  
Preparations for the Future of the A.S.T.M. Annual Address by the President, 14.  
Report of Committee C-1 on Cement, 156.
- Bean, Leonard**  
Effect of Heat on Portland Cements Containing Vinsol Resin, 766.
- Beard, L. C., Jr.**  
Report of Subcommittee XVI, Committee D-2, on Results of Tests on Method for Estimating Maximum Pour Points of Lubricating Oils Containing Pour Point Depressants, 237.
- Bennett, J. A.**  
Discussion, 904.
- Betz, C. E.**  
Equipment for Magnetic Particle Inspection. Summary of Proceedings of the Philadelphia District Meeting—Symposium on Magnetic Particle Testing, 722.
- Blaine, Raymond L.**  
The Testing of Portland Cements Containing Intergrated Vinsol Resin, 732.
- Bland, Reginald B.**  
Discussion, 905.
- Blomquist, R. F.**  
Types and Uses of Adhesives. Summary of Proceedings of the Symposium on Adhesives, 1023.
- Bolton, J. W.**  
Report of Joint Research Committee on Effect of Temperature on the Properties of Metals, 92.
- Bowman, J. J.**  
Report of Committee B-7 on Light Metals and Alloys, Cast and Wrought, 137.

**Boxser, H.**

High Temperature Oven Aging of Oil-Resisting Synthetic Rubber Compounds. Published in ASTM BULLETIN, No. 132, January, 1945, p. 33.

**Boyd, T. A.**

Report of Committee D-2 on Petroleum Products and Lubricants, 228.

**Boyer, R. F.**

An Automatic Heat Distortion Recorder for Plastics. Published in the ASTM BULLETIN, No. 134, May, 1945, p. 37.

**Boyle, C. J.**

Magnetic Particle Inspection of Forgings. Summary of Proceedings of the Philadelphia District Meeting—Symposium on Magnetic Particle Testing, 722.

**Bradd, A. A.**

Discussion, 441.

**Bradshaw, W. H.**

Standard Fatigue Tester for Use by the Rayon Manufacturers—Report to Committee D-13. Published in ASTM BULLETIN, No. 136, October, 1945, p. 13.

**Brown, Hylton R.**

Discussion, 876.

**Brumfield, R. C.**

A Sulfur Print Method for the Study of Crack Growth in the Corrosion-Fatigue of Metals, 544.

**Bryant, C. B.**

Report of Committee A-2 on Wrought Iron, 65.

**Budd, C. B.**

Statistical Comparison of Rayon Tire Cord Fatigue Testing Machines. Published in the ASTM BULLETIN, No. 136, October, 1945, p. 19.

**Bulow, C. L.**

Discussion, 613.

**Burns, Robert**

Dimensional Stability of Plastics, 926.  
Report of Committee D-20 on Plastics, 369.

**Burstein, H. N.**

The Determination of the Terpene Alcohol Content of Steam-Distilled Pine Oil, 1015.

**C****Carpenter, Arthur W.**

Report of Committee D-11 on Rubber and Rubber-Like Materials, 312.

**Carvajal, Jaime**

The Effect of Width and of Span-Depth Ratio

on the Flexural Strength of Laminated Plastics, 910.

**Christian, A. F.**

Fracture Testing of Alloy Steels for Aircraft Engine Forgings, 407. Discussion, 446.

**Cizek, A. W., Jr.**

A New Machine for Measuring Wear Resistance of Walkway Materials, 943.

**Coe, Theodore I.**

Report of Committee C-12 on Mortars for Unit Masonry, 213.

**Collier, Simon**

Report of Committee D-11 on Rubber and Rubber-Like Materials, 312.

**Colwell, D. L.**

Report of Committee B-7 on Light Metals and Alloys, Cast and Wrought, 137.

**Comley, M. A.**

Discussion, 583.

**Conner, R. M.**

Report of Committee D-3 on Gaseous Fuels, 253.

**Cook, Herbert K.**

Automatic Accelerated Freezing-and-Thawing Apparatus for Concrete, 813.

**Cope, E. T.**

Report of Committee C-16 on Thermal Insulating Materials, 216.

**Copson, H. R.**

A Theory of the Mechanism of Rusting of Low Alloy Steels in the Atmosphere, 554. Discussion, 588.

**Crossley, R. H.**

High Temperature Oven Aging of Oil-Resisting Synthetic Rubber Compounds. Published in ASTM BULLETIN, No. 132, January, 1945, p. 33.

**Cunningham, E. N.**

High Temperature Oven Aging of Oil-Resisting Synthetic Rubber Compounds. Published in ASTM BULLETIN, No. 132, January, 1945, p. 33.

**Curtis, H. L.**

Report of Sectional Committee C-59 on Electrical Insulating Materials, 310.

**D****Dahill, Edward**

Report of Committee D-10 on Shipping Containers, 311.

**Darrin, Marc**

Discussion, 582.

**Davis, Myron Park**

Report of Committee D-9 on Electrical Insulating Materials, 275.

**Dear, Paul S.**

A Simplified Method for the Determination of the Specific Gravity of Wood and Plastics. Published in ASTM BULLETIN, No. 135, August, 1945, p. 35.

**de Forest, A. V.**

Equipment for Magnetic Particle Inspection. Summary of Proceedings of the Philadelphia District Meeting—Symposium on Magnetic Particle Testing, 722.

**Deppeler, J. H.**

Report of Joint Committee on Filler Metal, 94.

**Dietz, A. G. H.**

Strength Properties (Subcommittee I). Summary of Proceedings of the Symposium on Adhesives, 1023.

Discussion, 907.

**Dixon, E. O.**

Magnetic Particle Testing of Aircraft Parts. Summary of Proceedings of the Philadelphia District Meeting—Symposium on Magnetic Particle Testing, 722.

**Dixon, J. B.**

Report of Committee A-5 on Corrosion of Iron and Steel, 66.

**Doner, S. R.**

High Temperature Oven Aging of Oil-Resisting Synthetic Rubber Compounds. Published in ASTM BULLETIN, No. 132, January, 1945, p. 33.

**Douthett, W. L.**

Report of Committee D-16 on Industrial Aromatic Hydrocarbons, 337.

**Dunlap, M. E.**

Methods Used for the Measurement of the Moisture Content of Wood. Appendix, Report of Committee D-7, 269.

**Dwyer, John R.**

The Testing of Portland Cements Containing Interground Vinsol Resin, 732.

**E****Eberle, F.**

Discussion, 504.

**Edwards, Junius D.**

A Comparison of the Performance of Anodic Coatings Exposed to Salt Spray and to the Weather. Appendix II, Report of Committee B-7, 146.

**Erickson, E. C. O.**

Discussion, 906.

**Evans, W. A.**

Report of Committee D-9 on Electrical Insulating Materials, 275.

**Evans, W. S.**

Discussion, 974.

**F****Ferguson, H. P.**

Introduction. Symposium on Neutralization Number. Published in ASTM BULLETIN, No. 134, May, 1945, p. 48.

**Fernald, H. B.**

Discussion, 444.

**Fieldner, A. C.**

Report of Committee D-5 on Coal and Coke, 255.

**Findley, William N.**

Fatigue Tests of a Laminated Mitscherlich-Paper Plastic, 878. Discussion, 908.

**Fink, G. J.**

Properties of Highly Hydrated Dolomitic Masonry Limes and Certain of Their Cement-Lime Mortars, 723.

**Flint, F. C.**

Glass—A Summary of Its Development as an Art and as a Science. Published in ASTM BULLETIN, No. 132, January, 1945, p. 19.

**Foote, J. H.**

Report of Committee B-1 on Copper and Copper-Alloy Wires for Electrical Conductors, 96.

**Frear, Clyde L.**

Magnetic Powder Inspection of Castings. Summary of Proceedings of the Philadelphia District Meeting—Symposium on Magnetic Particle Testing, 722.

**G****Gauger, A. W.**

Report of Committee D-3 on Gaseous Fuels, 253.

**Geil, G. W.**

The Effect of Combined Stresses on the Mechanical Properties of Steels Between Room Temperature and  $-188^{\circ}\text{C}$ , 448. Discussion, 483.

**Goldberg, J. B.**

Tomorrow's Textiles—Yesterday's Test Methods. Published in the ASTM BULLETIN, No. 135, August, 1945, p. 47.

**Gottschalk, F. W.**

Some Factors in the Interpretation of Small-Scale Tests for Fire-Retardant Wood. Published in ASTM BULLETIN, No. 136, October, 1945, p. 40.

**Greenberg, S. A.**

Report of Joint Committee on Filler Metal, 94.

**Grinsfelder, Henry**

Report of Committee D-14 on Adhesives, 335.

**Grotlich, V. E.**

The Determination of the Terpene Alcohol Content of Steam-Distilled Pine Oil, 1015. Report of Committee D-17 on Naval Stores, 349.

**Grover, H. J.**

Discussion, 542.

**H****Hall, R. E.**

Report of Committee D-19 on Water for Industrial Uses, 356.

**Harnden, G. H.**

Report of Committee B-5 on Copper and Copper Alloys, Cast and Wrought, 111. Report of Committee D-6 on Paper and Paper Products, 257.

**Harris, Jay C.**

Metal Cleaning: I—Indirect Performance Tests, 985.

Metal Cleaning: II—Soil Removal Performance Methods, 997.

**Harvey, Dean**

Report of Committee B-4 on Electrical-Heating, Electrical-Resistance, and Electric-Furnace Alloys, 108.

**Haworth, R. D., Jr.**

Fracture Testing of Alloy Steels for Aircraft Engine Forgings, 407. Discussion, 446.

**Hecht, Max**

Report of Committee D-19 on Water for Industrial Uses, 356.

**Hedberg, James**

Observations on the Appearance Welding of Malleable Castings, 618.

**Heirholzer, George A.**

An Automatic Heat Distortion Recorder for Plastics. Published in the ASTM BULLETIN, No. 134, May, 1945, p. 37.

**Hemming, C. B.**

Adhesive Working Qualities (Subcommittee IV). Summary of Proceedings of the Symposium on Adhesives, 1023.

**Herndon, L. K.**

Report of Committee C-7 on Lime, 203.

**Hess, R. E.**

Report of Committee E-10 on Standards, 395. Report of Sectional Committee C-59 on Electrical Insulating Materials, 310.

**Hocker, C. D.**

Report of Committee A-5 on Corrosion of Iron and Steel, 66.

Report of Wire Inspection Committee, Committee A-5, on Field Tests of Wire and Wire Products, 70.

**Holler, H. D.**

Discussion, 582.

**Hungerford, R. L.**

The Effect of the Iron Content of Cupro-Nickel on its Corrosion Resistance in "Sea Water," 591. Discussion, 617.

**I****Ingberg, S. H.**

Report of Committee C-5 on Fire Tests of Materials and Construction, 201.

Test Criterion for an Incombustible Material, 866. Discussion, 877.

**J****Jackson, L. R.**

Discussion, 542.

**Jasper, T. McLean**

Discussion, 527, 904;

**Jernstedt, George W.**

Surface-Conversion Coatings. Published in ASTM BULLETIN, No. 137, December, 1945, p. 29.

**Jones, L. B.**

The Magnetic Particle Test as Utilized by the Railroads. Summary of Proceedings of the Philadelphia District Meeting—Symposium on Magnetic Particle Testing, 722.

**Jones, P. G.**

Discussion, 482.

**Juve, A. E.**

High Temperature Oven Aging of Oil-Resisting Synthetic Rubber Compounds. Published in ASTM BULLETIN, No. 132, January, 1945, p. 33.

**K****Kallas, D. H.**

A New Machine for Measuring Wear Resistance of Walkway Materials, 943.

**Kendall, E. H.**

Report of Committee B-1 on Copper and Copper-Alloy Wires for Electrical Conductors, 96.

**Kenyon, John N.**

An Automotive Tire Fatigue Machine. Published in the ASTM BULLETIN, No. 136, October, 1945, p. 9.

**Kessler, D. W.**

Discussion, 798.

**Kilcawley, E. J.**

Report of Committee D-18 on Soils for Engineering Purposes, 354.

**Kirklin, W. A.**

Report of Committee D-17 on Naval Stores, 349.

**Kline, G. M.**

A General Theory of Adhesion. Summary of Proceedings of the Symposium on Adhesives, 1023.

**Kommers, J. B.**

The Effect of Overstress in Fatigue on the Endurance Life of Steel, 532. Discussion, 542.

**L**

**LaQue, F. L.**

Discussion, 613.

**Larrick, L.**

Statistical Comparison of Rayon Tire Cord Fatigue Testing Machines. Published in the ASTM BULLETIN, No. 136, October, 1945, p. 19.

**LaTour, Harry**

Single-Strip Compression Test for Sheet Materials, 671. Discussion, 695.

**Leaf, Walter**

Discussion, 581.

**Leavitt, H. Walter**

Discussion, 810.

**LeFevre, G. Howard**

Report of Committee B-2 on Non-Ferrous Metals and Alloys, 102.

**Lessells, John M.**

Discussion, 444.

**Lester, H. H.**

Magnetic Particle Inspection. Summary of Proceedings of the Philadelphia District Meeting—Symposium on Magnetic Particle Testing, 722.

**Linn, F. C.**

Neutralization Number from the Viewpoint of the Turbine Engineer—I. Symposium on Neutralization Number. Published in

ASTM BULLETIN, No. 134, May, 1945, p. 50.

**Lipson, S.**

A New Coating Thickness Gage. Published in ASTM BULLETIN, No. 135, August, 1945, p. 20.

**Liska, J. A.**

The Effect of Specimen Shape on the Compressive Strength Properties of Laterally Supported Plywood Specimens, 935.

**Litvin, Albert**

Effect of Heat on Portland Cements Containing Vinsol Resin, 766.

**Loane, C. M.**

A Comparison of the Salt Method with A.S.T.M. Method for Determining the Acidity of Lubricating Oils. Symposium on Neutralization Number. Published in ASTM BULLETIN, No. 134, May, 1945, p. 55.

**Lorig, C. H.**

Discussion, 442, 626.

**Lundell, G. E. F.**

Report of Committee E-3 on Chemical Analysis of Metals, 391.

**Lytle, A. R.**

Discussion, 627.

**M**

**Mack, David J.**

The Corrosion-Fatigue Properties of Some Hard Lead Alloys in Sulfuric Acid, 629.

**Madden, Baxter C., Jr.**

Discussion, 689.

**Mahoney, C. H.**

A Variable Cycle Alternate Immersion Corrosion Testing Machine, 719.

**Manov, George G.**

The pH of Some Standard Buffer Solutions from 0 to 60 C. and the Calibration of Glass Electrode pH Meters. Published in ASTM BULLETIN, No. 137, December, 1945, p. 25.

**Markwardt, L. J.**

Report of Committee D-7 on Wood, 265.

**Mather, Bryant**

Effect of Type of Test Specimen on Apparent Compressive Strength of Concrete, 802. Discussion, 812.

**McAdam, D. J., Jr.**

The Effect of Combined Stresses on the Mechanical Properties of Steels Between Room Temperature and -188 C., 448. Discussion, 483.

**McCartny, G. D.**

High Temperature Oven Aging of Oil-Resisting Synthetic Rubber Compounds. Published in ASTM BULLETIN, No. 132, January, 1945, p. 33.

**McConville, H. A.**

Past History of A.S.T.M. Lubricating Grease Test Methods. Published in ASTM BULLETIN, No. 133, March, 1945, p. 29.

**McDonald, J. C.**

Compression Testing of Magnesium Alloy Sheet, 698.

**McHenry, Douglas**

A Rubber Housing for Waterproofing the Bonded-Wire Strain Gage. Published in ASTM BULLETIN, No. 133, March, 1945, p. 18.

Discussion, 793.

**McKay, R. J.**

Report of Committee B-8 on Electrodeposited Metallic Coatings, 149.

**McWhorter, J. F.**

High Temperature Oven Aging of Oil-Resisting Synthetic Rubber Compounds. Published in ASTM BULLETIN, No. 132, January, 1945, p. 33.

**Mebs, R. W.**

The Effect of Combined Stresses on the Mechanical Properties of Steels Between Room Temperature and  $-188^{\circ}\text{C}$ ., 448.

Discussion, 483.

**Meyer, L. W. A.**

Report of Committee D-20 on Plastics, 369.

**Miller, Dalton G.**

Report on Comparative Short-Time Tests for Sulfate Resistance of 121 Commercial Cements. Report of the Working Committee on Sulfate Resistance, Appendix III, Committee C-1, 165.

**Miller, James A.**

Discussion, 694.

**Miller, R. F.**

Structural Changes in Carbon and Molybdenum Steels During Prolonged Heating at 900 to 1100 F., as Affected by Deoxidation Practice, 486. Discussion, 505.

**Mochel, N. L.**

Report of Joint Research Committee on Effect of Temperature on the Properties of Metals, 92.

**Moore, A. A.**

Compression Testing of Magnesium Alloy Sheet, 698.

**Moore, H. F.**

Report of the Research Committee on Fatigue of Metals, 91.

A Study of Size Effect and Notch Sensitivity in Fatigue Tests of Steel, 507. Discussion, 528.

**Mougey, H. C.**

Life Testing of Lubrication Oil. Published in ASTM BULLETIN, No. 132, January, 1945, p. 15.

**Muhlenbruch, C. W.**

The Effect of Repeated Loading on the Bond Strength of Concrete, 824.

**N****Nestlen, H.**

A New Machine for Measuring Wear Resistance of Walkway Materials, 943.

**Newell, H. D.**

Report of Committee A-10 on Iron-Chromium, Iron-Chromium-Nickel and Related Alloys, 87.

**O****Osgood, Wm. R.**

Discussion, 690.

**P****Parsons, D. E.**

Report of Committee C-15 on Manufactured Masonry Units, 214.

**Pearce, W. T.**

Report of Committee D-1 on Paint, Varnish, Lacquer, and Related Products, 220.

**Peterson, R. E.**

Relation Between Life Testing and Conventional Tests of Materials. Published in ASTM BULLETIN, No. 133, March, 1945, p. 9.

Discussion, 522.

**Phelps, S. M.**

Report of Committee C-8 on Refractories, 208.

**Pickett, Gerald**

Equations for Computing Elastic Constants from Flexural and Torsional Resonant Frequencies of Vibration of Prisms and Cylinders, 846. Discussion, 865.

**Platow, R. C.**

Strength Properties (Subcommittee I). Summary of Proceedings of the Symposium on Adhesives, 1023.



**Plummer, Harry C.**

Report of Committee C-12 on Mortars for Unit Masonry, 213.

**Pope, C. L.**

Neutralization Number from the Viewpoint of the Industrial Engineer. Symposium on Neutralization Number. Published in ASTM BULLETIN, No. 134, May, 1945, p. 48.

**Pratt, Horace A.**

A Comparison of Absorption and Soundness Tests on Maine Sands, 771.

**Pray, H. A.**

Report of Subcommittee II, Committee B-8, on Performance Tests, 152.

**Proctor, George R.**

The Effect of Width and of Span-Depth Ratio on the Flexural Strength of Laminated Plastics, 910.

**Q****Quadt, R. A.**

Cast-to-Size Impact Specimens for Aluminum Sand Casting Alloys, 705.

**R****Rawdon, H. S.**

Report of Committee B-3 on Corrosion of Non-Ferrous Metals and Alloys, 105.

**Reid, L. S.**

Report of Committee D-6 on Paper and Paper Products, 257.

**Reinhard, C. E.**

Report of Subcommittee VIII, Committee A-5, on Field Tests of Metallic Coatings, 69.

**Reinsmith, Gerald**

Specifications for Adhesives (Subcommittee V). Summary of Proceedings of the Symposium on Adhesives, 1023.

**Repsher, Leonard**

Analytical Procedures Used on Adhesives (Subcommittee II). Summary of Proceedings of the Symposium on Adhesives, 1023.

**Riedel, J. C.**

Report of Committee C-4 on Clay Pipe, 200.

**Rinker, R. C.**

A General Theory of Adhesion. Summary of Proceedings of the Symposium on Adhesives, 1023.

**Robinson, H. M.**

Report of Committee C-5 on Fire Tests of Materials and Construction, 201.

**Roehmann, L. F.**

Electrical Conductivity of Conductors, 711.

**Roehner, T. G.**

Cooperative Committees Developing Test Methods for Lubricating Greases. Published in ASTM BULLETIN, No. 133, March, 1945, p. 31.

**Rose, C. H.**

Report of Committee D-1 on Paint, Varnish, Lacquer, and Related Products, 220.

**Ruettgers, Arthur**

Discussion, 794.

**Rustay, A. L.**

Discussion, 442.

**S****Sample, C. H.**

Report of Committee B-8 on Electrodeposited Metallic Coatings, 149.

**Sanger, M.**

High Temperature Oven Aging of Oil-Resisting Synthetic Rubber Compounds. Published in ASTM BULLETIN, No. 132, January, 1945, p. 33.

**Schaefer, A. O.**

Introduction. Summary of Proceedings of the Philadelphia District Meeting—Symposium on Magnetic Particle Testing, 722.

**Schoenborn, E. M.**

The Effect of Width and of Span-Depth Ratio on the Flexural Strength of Laminated Plastics, 910. Discussion, 923.

**Schofield, L. B.**

Report on Results of Questionnaire to Utilities Relating to Tests on Transformer Oil in Service. Appendix III, Report of Subcommittee IV, Committee D-9, 302.

**Schwartz, H. A.**

Observations on the Appearance Welding of Malleable Castings, 618. Discussion, 628.

**Scott, Robert G.**

Report of Committee C-4 on Clay Pipe, 200.

**Seemann, Herman E.**

General Properties of Industrial Radiographic Films. Published in the ASTM BULLETIN, No. 134, May, 1945, p. 17.

**Seliger, Victor**

A Suggested New Parameter for Fatigue Strength Analysis. Published in ASTM BULLETIN, No. 132, January, 1945, p. 29.

**Selvig, W. A.**

Report of Committee D-5 on Coal and Coke, 255.

**Setchkin, N. P.**

Test Criterion for an Incombustible Material, 866. Discussion, 877.

**Shank, J. R.**

Discussion, 951.

**Skeie, K. A.**

A Variable Cycle Alternate Immersion Corrosion Testing Machine, 719.

**Smith, G. V.**

Structural Changes in Carbon and Molybdenum Steels During Prolonged Heating at 900 to 1100 F., as Affected by Deoxidation Practice, 486. Discussion, 505.

**Smith, H. E.**

Discussion, 581.

**Smither, F. W.**

Report of Committee D-12 on Soaps and Other Detergents, 319.

**Snader, E. A.**

Miscellaneous Applications of the Magnetic Particle Test. Summary of Proceedings of the Philadelphia District Meeting—Symposium on Magnetic Particle Testing, 722.

**Snyder, Charles G.**

Report on Comparative Short-Time Tests for Sulfate Resistance of 121 Commercial Cements. Report of the Working Committee on Sulfate Resistance, Appendix III, Committee C-1, 165.

**Speller, Frank N.**

Memo on Cavitation. Published in ASTM BULLETIN, No. 133, March, 1945, p. 21.

**Spooner, A. P.**

Specifications and Procedure. Summary of Proceedings of the Philadelphia District Meeting—Symposium on Magnetic Particle Testing, 722.

**Stern, E. George**

A Simplified Method for the Determination of the Specific Gravity of Wood and Plastics. Published in ASTM BULLETIN, No. 135, August, 1945, p. 35.

**Stillman, J. W.**

Report of Committee E-3 on Chemical Analysis of Metals, 391.

**Stivers, E. R.**

Report of Committee D-10 on Shipping Containers, 311.

**Strauss, Jerome**

Report of Committee A-10 on Iron-Chromium, Iron-Chromium-Nickel and Related Alloys, 87.

**Stroop, D. V.**

Report of Committee D-2 on Petroleum Products and Lubricants, 228.

**Sullivan, J. D.**

Report of Committee C-8 on Refractories, 208.

**T****Tarr, A. L.**

A Variable Cycle Alternate Immersion Corrosion Testing Machine, 719.

**Tarr, C. O.**

Structural Changes in Carbon and Molybdenum Steels During Prolonged Heating at 900 to 1100 F., as Affected by Deoxidation Practice, 486. Discussion, 505.

**Taylorson, Ewart S.**

Report of Subcommittee III, Committee A-5, on Inspection of Annapolis Tests, 67.

**Templin, R. L.**

Discussion, 690, 960.

**Terzaghi, K.**

Stress Conditions for the Failure of Saturated Concrete and Rock, 777. Discussion, 800.

**Thomas, Ray**

Report of Committee C-16 on Thermal Insulating Materials, 216.

**Thomson, William T.**

Discussion, 864.

**Thum, E. E.**

Report of Committee B-2 on Non-Ferrous Metals and Alloys, 102.

**Townsend, J. R.**

Report of Committee B-6 on Die-Cast Metals and Alloys, 134.

Discussion, 689.

**Tracy, A. W.**

The Effect of the Iron Content of Cupro-Nickel on its Corrosion Resistance in "Sea Water," 591. Discussion, 617.

Report of Committee B-3 on Corrosion of Non-Ferrous Metals and Alloys, 105.

**Trattner, Emil**

Properties of Highly Hydrated Dolomitic Masonry Limes and Certain of Their Cement-Lime Mortars, 723.

**Trostel, L. J.**

Report of Committee C-8 on Refractories, 208.

**Truax, T. R.**

Report of Committee D-14 on Adhesives, 335. Types and Uses of Adhesives. Summary of Proceedings of the Symposium on Adhesives, 1023.

**Tucker, John, Jr.**

Effect of Dimensions of Specimens upon the Precision of Strength Data, 952. Discussion, 960.

Discussion, 811.

Effect of Length on the Strength of Compression Test Specimens, 976.

The Maximum Stresses Present at Failure of Brittle Materials, 961. Discussion, 975.

**Turner, Philip S.**

Discussion, 389, 923.

**V****Valle-Rodas, Raul**

A New Method for the Mechanical Analysis of Soils. Published in ASTM BULLETIN, No. 135, August, 1945, p. 44.

**Van Zile, B. S.**

Report of Committee D-12 on Soaps and Other Detergents, 319.

**Vassar, H. S.**

Report of Committee E-10 on Standards, 395.

**Vasta, J.**

Discussion, 667.

**Veal, C. B.**

Report of Technical Committee A on Gasoline, Committee D-2 on Petroleum Products and Lubricants, 233.

**Venable, C. S.**

Comparative Fatigue Test Data. Published in ASTM BULLETIN, No. 136, October, 1945, p. 17.

**Vennerholm, G.**

Discussion, 626.

**Vernon, K. F.**

Report of Committee D-18 on Soils for Engineering Purposes, 354.

**Vernon, W. H. J.**

Discussion, 586.

**Von Fuchs, G. H.**

Neutralization Number from the Viewpoint of the Turbine Engineer—II. Symposium on Neutralization Number. Published in ASTM BULLETIN, No. 134, May, 1945, p. 51.

**von Schrenk, Hermann**

Report of Committee D-7 on Wood, 265.

**Voss, W. C.**

Report of Committee C-7 on Lime, 203.

**W****Walters, E. L.**

Determination of Gum Values by the I.P.T.

and A.S.T.M. Air Jet Gum Methods. Published in ASTM BULLETIN, No. 135, August, 1945, p. 40.

**Warren, G. E.**

Report of Committee C-1 on Cement, 156.

**Warwick, C. L.**

Annual Report of the Executive Committee, 21.

**Weaver, V. P.**

Report of Committee B-5 on Copper and Copper Alloys, Cast and Wrought, 111.

**Wehmer, Fred**

Permanence Tests of Adhesive Bonds (Subcommittee III). Summary of Proceedings of the Symposium on Adhesives, 1023.

**Weiss, J. M.**

Report of Committee D-16 on Industrial Aromatic Hydrocarbons, 337.

**Welter, G.**

Discussion, 693.

**Werley, G. L.**

Report of Committee B-6 on Die-Cast Metals and Alloys, 134.

**Whitcomb, W. H.**

Report of Committee D-13 on Textile Materials, 323.

**Whittemore, J. W.**

Report of Committee C-15 on Manufactured Masonry Units, 214.

**Wing, S. P.**

Discussion, 794.

**Withey, M. O.**

Discussion, 810.

**Wolf, H. R.**

Neutralization Number from the Viewpoint of the Automotive Engineer. Symposium on Neutralization Number. Published in ASTM BULLETIN, No. 134, May, 1945, p. 52.

**Wolford, Don S.**

Single-Strip Compression Test for Sheet Materials, 671. Discussion, 695.

**Wright, E. C.**

The Manufacture of Heavy-Wall Pipe 12 $\frac{3}{4}$  to 24 In. Outside Diameter. Published in ASTM BULLETIN, No. 133, March, 1945, p. 19.

**Wuerpel, Charles E.**

Automatic Accelerated Freezing-and-Thawing Apparatus for Concrete, 813.

Discussion, 753.

**Y****Yabroff, D. L.**

Determination of Gum Values by the I.P.T. and A.S.T.M. Air Jet Gum Methods. Published in ASTM BULLETIN, No. 135, August, 1945, p. 40.

**Yates, Jason C.**

The Testing of Portland Cements Containing Interground Vinsol Resin, 732.

**Young, Ira**

Observations on the Appearance Welding of Malleable Castings, 618.

**Z****Zinzow, W. A.**

Flexural Properties of Plastics—Summary of Test Results Obtained in Committee D-20, Appendix II, Report of Committee D-20, 376.

Report of Committee D-9 on Electrical Insulating Materials, 275.

of

of  
20.  
20,

In-